

## 2007 AAPA Physician Assistant Census Report for Indiana

### Introduction

The American Academy of Physician Assistants (AAPA) was founded in 1968 and is the only national organization representing physician assistants (PAs) in all medical specialties. The Academy educates the general public about the PA profession, assures competency of PAs through active involvement in the accreditation of PA programs, provides continuing education, and conducts PA-related research. The Academy works to promote quality, cost-effective health care, and the professional and personal growth of PAs.

From 1990 to 1995, the AAPA conducted a census survey of its members. Beginning in 1996, the census survey was expanded to include those PAs who were not members of AAPA. While the survey instrument and the data collection process have undergone some revisions since the inception of the census, the general approach and data elements have remained much the same.

The data collection effort for the 2007 AAPA Physician Assistant Census was conducted between February 20 and September 15, 2007. The 2007 Census was available online as well as on paper; 2007 was the second year that this survey was available to be completed online.

A link to the online version of the survey was posted on the home page of the AAPA web site and an email with a link to the survey was sent between February 20 and March 1, 2007 to the 46,967 PAs for whom a valid email address was available. Between May 18 and May 24, 2007, reminder emails were sent to the 31,250 individuals who had not responded by May 16 (and for whom email address was available). Finally, reminder messages with a link to the online survey were sent to AAPA members with valid email addresses via AAPA's monthly E-News in March and June.

The paper version of the survey was mailed on March 20, 2007 to all individuals, both AAPA members and non-members, who were believed to be eligible to practice as PAs in the United States as of December 31, 2006 and for whom address information was available, but the paper version of the survey was not sent to individuals from whom an online response had been received prior to March 12, 2007, or to individuals who had indicated on a previous Census that they were retired or working as a physician. Paper surveys were mailed to 61,883 people. A second copy of the paper survey was mailed on June 19, 2007, to 47,542 individuals who had not completed a survey, either online or paper, prior to June 13.

In total, 9,473 PAs were invited to participate in the 2007 Census – accounting for 92.7 percent of the 75,260 individuals eligible to practice as PAs. Completed surveys were received from 26,192 people, representing 34.8 percent of all individuals eligible to practice as PAs and 37.7 percent of the PAs who were invited to participate. Of the 28,439 AAPA members invited to participate, 17,480 (61.5%) responded; of the 41,034 non-members who were invited to participate, 8,712 (21.2%) responded.

This document presents the responses received on the Census survey and also includes certain static information derived from the AAPA Masterfile, such as sex, race, educational attainment, and age. It should be noted that these data have not been weighted or adjusted to account for non-response, the number of usable responses for each item varies due to item non-response, and that the percentages displayed may not sum to 100 due to rounding.

To facilitate locating specific items of interest, an index of the subjects addressed by the tables is provided in addition to a list of tables.

## **Highlights of National Statistics**

### **Section I. Characteristics of Respondents and Non-Respondents**

Sex: Females accounted for 64 percent of the respondents to this year's census.

Ethnicity: White PAs comprise 88 percent of the respondents.

PA Education: Just under half (42%) of respondents hold a bachelor's level PA degree; 39 percent of respondents hold a master's level PA degree.

Age: The mean age of census respondents is 41 years (median = 39), the mean age at time of graduation from PA school was 31 years (median = 28), and the mean number of years since graduation from PA school for census respondents is 11 (median = 7).

### **Section II. Professional Status of Respondents**

Practice Status: The vast majority of respondents (92%) are in clinical practice.

Current Profession: Five percent of respondents reported working as a PA educator. This was the most common professional activity other than providing clinical services as a PA.

### **Section III: Information about Respondents in Clinical Practice**

Number of Clinical PA Jobs: Eighty-five percent of respondents reported working exactly one clinical PA job; 15 percent work more than one clinical PA job concurrently.

Employer Type: More than four in ten respondents (44%) are employed by a single or multi-specialty physician group practice while 23 percent are employed by hospitals and 13 percent are employed by solo physician offices.

Government Employment: About nine percent of respondents work for some type of government agency. The Department of Veterans' Affairs is the single largest government employer of PAs accounting for about two percent of respondents; state governments collectively employ three percent of this year's respondents.

Primary Work Setting: The most prevalent "primary" work setting, reported by 38 percent of respondents, is a hospital; the hospital departments cited most frequently as primary settings are hospital inpatient units (10%), hospital emergency rooms (10%), hospital outpatient units (7%), and hospital operating rooms (7%). Physician group practices are the primary work setting for 31 percent of respondents; 22 percent report working in a single-specialty group practice and nine percent report working in a multi-specialty group practice. Other settings reported as the primary work setting by large numbers of PAs include solo-practice physician offices (12%), and Federally Qualified Health Centers or community health facilities (8%).

Work Settings where Clinical Services are Provided over the Course of a Typical Month:

Respondents were asked to indicate all of the settings where they provide clinical services for their primary clinical employer over the course of a typical month. The specific work settings reported by at least 20 percent of respondents are hospital inpatient units (35%), hospital emergency rooms (31%), single-specialty physician group practices (29%), hospital intensive care/critical care units (23%), hospital operating rooms (22%), and hospital outpatient units (21%).

Primary Specialty of Practice: While PAs practice in over 60 different specialty fields, 37 percent of this year's respondents reported that their primary specialty was one of the primary care fields: family/general medicine (25%), general internal medicine (7%), general pediatrics (2%), and obstetrics/gynecology (2%). Other prevalent specialties for PAs include general surgery/surgical subspecialties (25%), emergency medicine (10%), the subspecialties of internal medicine (11%) and dermatology (4%).

Years in Clinical Practice, Years in Position, and Years in Specialty: The mean number of years respondents have been in clinical practice is 9 (median = 6), the mean number of years respondents have worked in their current position is 5 (median = 3), and the mean number of years respondents have worked in their current specialty is 7 (median = 4).

Geographic Distribution: The states with the largest numbers of clinically practicing respondents are: New York (8%), California (7%), Texas (6%), Pennsylvania (6%), Florida (6%), North Carolina (5%), and Michigan (5%).

Metropolitan Status of Work Site: Fifteen percent of respondents work in counties that are non-metropolitan.

Functions and Responsibilities: PAs can perform a variety of functions for their primary employers. More than half (59%) reported performing minor surgical procedures, thirty-eight percent of respondents reported that they manage the care of patients in an inpatient setting and about one-quarter (24%) reported first-assisting at surgery. Nine percent of respondents reported supervising other PAs, and one in five (18%) reported supervising other clinical staff. More than one-third of respondents (35%) indicated that they precept PA students; one-fourth (24%) reported precepting students of other health professions.

Work Status: The majority of clinically practicing respondents (85%) work full-time, defined as more than 32 hours per week, for their primary clinical employer.

**Section IV. Information about Respondents in Clinical Practice Who Work at Least 32 Hours per Week at Their Primary Clinical Job**

Hours Worked: The mean number of hours worked by the respondents who work more than 32 hours in a typical week is 44 the median is 41 hours.

Patient Visits/Encounters: Due to the variety of work settings and specialty fields in which PAs practice, the types of patients PAs treat are quite varied. The vast majority (86%) of census respondents who work full-time see some outpatients in their primary job; the mean number of patient visits provided per week by PAs who see outpatients exclusively is 93. Over one-third of respondents who work full-time (44%) see some inpatients in their primary job; the mean number of patient encounters provided per week by respondents who see inpatients exclusively is 62. Six percent of respondents report seeing patients who can not be classified as inpatients or outpatients.

Taking Call: Four in ten respondents (39%) reported taking call for their primary employer. The mean number of hours on call per month for those PAs who reported taking some call but who were not always on call is 94.

Base Pay: The majority of respondents (81%) reported receiving their base pay in the form of a salary; 17 percent indicated that they receive an hourly wage.

Compensation: Respondents reported receiving several additional forms of compensation from their primary employer. The most common form of additional compensation was a bonus not based on performance or productivity, reported by 21 percent of respondents. Nineteen percent of respondents reported receiving a bonus based on their own productivity or performance while 14 percent reported receiving overtime pay. Just under half (42%) of those who reported receiving incentive pay based on productivity or performance indicated that the incentive was based on revenue.

Annual Income: The median total annual income from primary employer for respondents who work at least 32 hours per week for their primary employer and who are not self-employed is \$82,223; the mean is \$86,214. The comparable figures for respondents who graduated in 2006 are \$71,825 and \$73,013, respectively.

## List of Tables

### **Section I: Characteristics of 2007 AAPA Census Respondents**

- Table 1.1 Number and Percent Distribution of Respondents by Criteria Used to Define Subpopulations
- Table 1.2 Number and Percent Distribution of Respondents by Sex
- Table 1.3 Number and Percent Distribution of Respondents by Race
- Table 1.4 Number and Percent Distribution of Respondents by PA Degrees Held
- Table 1.5 Summary Measures of Age for Respondents
- Table 1.6 Summary Measures of Age during Year of Graduation from PA School for Respondents
- Table 1.7 Summary Measures of Years since Graduation from PA School for Respondents

### **Section II: Professional Status of Respondents**

- Table 2.1 Number and Percent Distribution of Respondents by Clinical Practice Status
- Table 2.2 Number and Percent Distribution of Respondents by Current Professional Status

### **Section III Information about Respondents in Clinical Practice**

- Table 3.1 Number and Percent Distribution of Clinically Practicing Respondents by Number of Concurrent PA Jobs
- Table 3.2 Number and Percent Distribution of Clinically Practicing Respondents by Type of Primary Employer
- Table 3.3 Number and Percent Distribution of Clinically Practicing Respondents by Primary Employer's Government Affiliation
- Table 3.4 Number and Percent Distribution of Clinically Practicing Respondents by Primary Work Setting
- Table 3.5 Number and Percent Distribution of Clinically Practicing Respondents by Types of Practice Settings where Time is Spent for Primary Employer
- Table 3.6 Number and Percent Distribution of Clinically Practicing Respondents by General Specialty Practiced for Primary Employer
- Table 3.7 Number and Percent Distribution of Clinically Practicing Respondents by Specialty Practiced for Primary Employer
- Table 3.8 Summary Measures of Years in Clinical Practice as PA for Clinically Practicing Respondents
- Table 3.9 Summary Measures of Years in Current Position for Clinically Practicing Respondents
- Table 3.10 Summary Measures of Years in Current Specialty for Clinically Practicing Respondents

### **List of Tables (continued)**

- Table 3.11 Number and Percent Distribution of Clinically Practicing Respondents by AAPA Region in Which Employed
- Table 3.12 Number and Percent Distribution of Clinically Practicing Respondents by State/Geographic Location in Which Employed
- Table 3.13 Number and Percent Distribution of Clinically Practicing Respondents by Metropolitan Status and Degree of Rurality of County of Primary Work Site
- Table 3.14 Number and Percent Distribution of Clinically Practicing Respondents Who Perform Select Functions at Primary Clinical Job
- Table 3.15 Number and Percent Distribution of Clinically Practicing Respondents by Hours Worked per Week at Primary Clinical Job

#### **Section IV: Information about Respondents Who Work at Least 32 Hours per Week at Their Primary Clinical Job**

- Table 4.1 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Patients Treated
- Table 4.2 Summary Measures of Total Hours Worked per Week for Primary Clinical Employer by Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
- Table 4.3 Summary Measures of Hours Providing Direct Inpatient Care per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.4 Summary Measures of Inpatient Encounters per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.5 Summary Measures of Hours Providing Direct Outpatient Care per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.6 Summary Measures of Outpatient Visits per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.7 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Whether Call is Taken
- Table 4.8 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Call Taken for Those Who Take Call and Reported Type
- Table 4.9 Summary Measures of Call Hours per Month for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
- Table 4.10 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Type of Base Pay Received

### **List of Tables (continued)**

- Table 4.11 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Additional Compensation Received
- Table 4.12 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance by Measures on Which Incentive is Based
- Table 4.13 Summary Measures of Total Annual Income from Primary Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
- Table 4.14 Summary Measures of Total Annual Income from Primary Employer for Respondents Who Graduated in 2006 and Work at Least 32 Hours per Week at Primary Clinical Job

## Index of Subjects Addressed by Tables

<b>Topic</b>	<b>Table Number</b>
Age, during Year of Graduation from PA School, Summary Measures for Respondents	Table 1.6
Age, in Year of Census, Summary Measures for Respondents	Table 1.5
Call, Hours per Month, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.9
Call, Responsibility for Taking, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.7
Call, Types Taken, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.8
Clinical Practice Status, Number and Percent Distribution of Respondents	Table 2.1
Compensation, Measures on Which Incentive is Based, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance	Table 4.12
Compensation, 2006 Graduates, Total Annual Income from Primary Employer, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.14
Compensation, Total Annual Income from Primary Employer, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.13
Compensation, Types of Additional Compensation Received, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.11
Compensation, Type of Base Pay Received, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.10
Concurrent PA Jobs, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.1
Current Professional Status, Number and Percent Distribution of Respondents	Table 2.2
Education, PA Degrees, Number and Percent Distribution of Respondents	Table 1.4
Employer Type, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.2
Functions Performed at Primary Clinical Job, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.14
Government Employment, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.3
Hours Providing Direct Inpatient Care per Week, Summary Measures for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.3
Hours Providing Direct Outpatient Care per Week, Summary Measures for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.5
Hours Worked per Week at Primary Clinical Job, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.15

<b>Topic</b>	<b>Table Number</b>
Hours Worked per Week for Primary Clinical Employer (total), Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.2
Metropolitan Status and Rurality of Primary Practice Site, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.13
Race, Number and Percent Distribution of Respondents	Table 1.3
Region (AAPA) in Which Employed, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.11
Respondents, Number and Percent Distribution by Criteria Used to Define Subpopulations	Table 1.1
Sex, Number and Percent Distribution of Respondents	Table 1.2
Specialty Practiced for Primary Employer, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.7
Specialty, General Field Practiced for Primary Employer, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.6
State/Geographic Location in Which Employed, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.12
Types of Patients Treated, Number and Percent Distribution for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.1
Visits/Encounters per week, Inpatient, Summary Measures for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.4
Visits/Encounters per week, Outpatient, Summary Measures for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.6
Work Setting, Primary, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.4
Work Settings, All, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.5
Years in Clinical Practice as PA, Summary Measures for Clinically Practicing Respondents	Table 3.8
Years in Current Position, Summary Measures for Clinically Practicing Respondents	Table 3.9
Years in Current Specialty, Summary Measures for Clinically Practicing Respondents	Table 3.10
Years since Graduation from PA School, Summary Measures for Respondents	Table 1.7

2007 AAPA Physician Assistant Census Report for Indiana

Section I: Characteristics of 2007 AAPA Census Respondents

Table 1.1: Number and Percent Distribution of Census Respondents by Whether Work State or State of Preferred Mailing Address was Indiana

	Count	Percent
Total	26192	100.0%
Indiana	292	1.1%
All Others	25900	98.9%

Table 1.2: Number and Percent Distribution of Census Respondents by Sex

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Total	288	100.0%	25669	100.0%	25957	100.0%
Male	97	33.7%	9263	36.1%	9360	36.1%
Female	191	66.3%	16406	63.9%	16597	63.9%

Table 1.3: Number and Percent Distribution of Census Respondents by Race

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Total	244	100.0%	23554	100.0%	23798	100.0%
Asian/Pacific Islander	3	1.2%	914	3.9%	917	3.9%
Black (Not Hispanic)	2	.8%	900	3.8%	902	3.8%
Hispanic/Latino Origin	3	1.2%	936	4.0%	939	3.9%
Amer Indian/Alaskan	2	.8%	160	.7%	162	.7%
White (Not Hispanic)	234	95.9%	20644	87.6%	20878	87.7%

Table 1.4: Number and Percent Distribution of Census Respondents by PA Degrees Held

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Total	277	100.0%	23998	100.0%	24275	100.0%
Certificate from PA school	36	13.0%	6849	28.5%	6885	28.4%
Associate's degree from PA school	15	5.4%	1439	6.0%	1454	6.0%
Bachelor's degree from PA school	182	65.7%	10034	41.8%	10216	42.1%
Master's degree from PA school	68	24.5%	9449	39.4%	9517	39.2%

\*Percentages sum to more than 100 because some PAs received multiple degree types.

**Table 1.5: Summary Measures of Age for Census Respondents**

	Indiana	All Others	Total
Count	292	25850	26142
Mean	38.4	41.2	41.2
Standard deviation	11.0	11.0	11.0
10th p-tile	26.3	28.0	28.0
25th p-tile	30.0	32.0	32.0
Median	34.5	39.0	39.0
75th p-tile	48.0	50.0	50.0
90th p-tile	55.7	57.0	57.0

**Table 1.6: Summary Measures of Age During Year of Graduation from PA School for Census Respondents**

	Indiana	All Others	Total
Count	292	25851	26143
Mean	28.7	30.5	30.5
Standard deviation	6.2	6.8	6.8
10th p-tile	23.0	24.0	24.0
25th p-tile	25.0	26.0	26.0
Median	27.0	28.0	28.0
75th p-tile	30.8	34.0	34.0
90th p-tile	37.0	41.0	41.0

**Table 1.7: Summary Measures of Years since Graduation from PA School for Census Respondents**

	Indiana	All Others	Total
Count	292	25900	26192
Mean	9.7	10.7	10.7
Standard deviation	9.1	9.2	9.2
10th p-tile	1.3	2.0	2.0
25th p-tile	3.0	3.0	3.0
Median	6.0	7.0	7.0
75th p-tile	12.0	16.0	16.0
90th p-tile	26.0	26.0	26.0

**Section II: Professional Status of Respondents**

**Table 2.1: Number and Percent Distribution of Respondents by Clinical Practice Status**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Total	292	100.0%	25900	100.0%	26192	100.0%
In clinical practice	264	90.4%	23710	91.5%	23974	91.5%
Not in clinical practice	28	9.6%	2190	8.5%	2218	8.5%

**Table 2.2: Number and Percent Distribution of Respondents by Current Professional Status\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	292	100.0%	25900	100.0%	26192	100.0%
Clinically practicing PA	264	90.4%	23710	91.5%	23974	91.5%
Clinically practicing physician or resident	2	.7%	21	.1%	23	.1%
Clinically practicing NP			174	.7%	174	.7%
Other clinically practicing provider	2	.7%	190	.7%	192	.7%
PA educator	10	3.4%	1192	4.6%	1202	4.6%
Other health professions educator	2	.7%	356	1.4%	358	1.4%
Health care professional-administrator	3	1.0%	491	1.9%	494	1.9%
Health care professional-researcher	6	2.1%	243	.9%	249	1.0%
Health care professional-forensics			35	.1%	35	.1%
Health care professional-public health	2	.7%	96	.4%	98	.4%
Health care professional-other	8	2.7%	458	1.8%	466	1.8%
Other non-health professional	4	1.4%	234	.9%	238	.9%
Student in post-graduate PA program	1	.3%	126	.5%	127	.5%
Medical student			39	.2%	39	.1%
Other student			65	.3%	65	.2%
Not employed by choice	11	3.8%	566	2.2%	577	2.2%
Employed, seeking PA job	1	.3%	87	.3%	88	.3%
Unemployed, seeking PA job	1	.3%	222	.9%	223	.9%
Unemployed, seeking non-PA job	1	.3%	35	.1%	36	.1%
Retired			165	.6%	165	.6%
Other	5	1.7%	280	1.1%	285	1.1%

\*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Section III: Information about Respondents in Clinical Practice**

**Table 3.1: Number and Percent Distribution of Clinically Practicing Respondents by Number of Concurrent PA Jobs**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	264	100.0%	23695	100.0%	23959	100.0%
One	237	89.8%	20020	84.5%	20257	84.5%
Two	21	8.0%	2954	12.5%	2975	12.4%
Three	3	1.1%	448	1.9%	451	1.9%
More than three	3	1.1%	120	.5%	123	.5%
Self-employed w/mult contracts			153	.6%	153	.6%

**Table 3.2: Number and Percent Distribution of Clinically Practicing Respondents by Type of Primary Employer**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	263	100.0%	23426	100.0%	23689	100.0%
Self-employed	2	.8%	674	2.9%	676	2.9%
Solo physician practice	32	12.2%	2950	12.6%	2982	12.6%
Single-specialty physician group	138	52.5%	7214	30.8%	7352	31.0%
Multi-specialty physician group	40	15.2%	3026	12.9%	3066	12.9%
University hospital	5	1.9%	2040	8.7%	2045	8.6%
Other hospital	15	5.7%	3341	14.3%	3356	14.2%
Freestanding urgent care center	11	4.2%	431	1.8%	442	1.9%
Freestanding surgical center			19	.1%	19	.1%
Nursing home or LTC facility			53	.2%	53	.2%
Home health agency			7	.0%	7	.0%
Hospice			2	.0%	2	.0%
HMO	1	.4%	438	1.9%	439	1.9%
Community health center	5	1.9%	1365	5.8%	1370	5.8%
Medical staffing agency			78	.3%	78	.3%
Physician practice mngmt org	6	2.3%	415	1.8%	421	1.8%
Integrated health system	2	.8%	340	1.5%	342	1.4%
Corrections system			207	.9%	207	.9%
Other	6	2.3%	826	3.5%	832	3.5%

**Table 3.3: Number and Percent Distribution of Clinically Practicing Respondents by Primary Employer's Government Affiliation**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	260	100.0%	23225	100.0%	23485	100.0%
Not government employed	253	97.3%	21090	90.8%	21343	90.9%
Air Force			130	.6%	130	.6%
Army	3	1.2%	313	1.3%	316	1.3%
Navy			91	.4%	91	.4%
Coast Guard			18	.1%	18	.1%
Dept. of Veterans Affairs	3	1.2%	488	2.1%	491	2.1%
Federal Bureau of Prisons/DOJ			31	.1%	31	.1%
Indian Health Service			93	.4%	93	.4%
Federal Public Health Service			105	.5%	105	.4%
Other Federal Government			107	.5%	107	.5%
State Government			520	2.2%	520	2.2%
Local Government	1	.4%	239	1.0%	240	1.0%

**Table 3.4: Number and Percent Distribution of Clinically Practicing Respondents by Primary Work Setting**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	262	100.0%	23262	100.0%	23524	100.0%
Intensive/critical care unit of hospital	4	1.5%	520	2.2%	524	2.2%
Inpatient unit of hospital (not ICU/CCU)	26	9.9%	2397	10.3%	2423	10.3%
Outpatient unit of hospital	8	3.1%	1743	7.5%	1751	7.4%
Hospital emergency room	36	13.7%	2331	10.0%	2367	10.1%
Hospital operating room	25	9.5%	1504	6.5%	1529	6.5%
Other unit of hospital	3	1.1%	320	1.4%	323	1.4%
Federally Qualified Rural Health Center	3	1.1%	832	3.6%	835	3.5%
Other FQHC	2	.8%	455	2.0%	457	1.9%
Other community health center/facility	3	1.1%	544	2.3%	547	2.3%
Freestanding urgent care facility	14	5.3%	658	2.8%	672	2.9%
Freestanding surgical facility	1	.4%	82	.4%	83	.4%
Solo practice physician office	28	10.7%	2768	11.9%	2796	11.9%
Single-specialty physician group practice	79	30.2%	5136	22.1%	5215	22.2%
Multi-specialty physician group practice	21	8.0%	2174	9.3%	2195	9.3%
HMO facility	1	.4%	316	1.4%	317	1.3%
Nursing home or LTC facility			199	.9%	199	.8%
University/college student health facility			138	.6%	138	.6%
School-based health facility			84	.4%	84	.4%
Other freestanding outpatient facility	5	1.9%	446	1.9%	451	1.9%
Correctional facility			228	1.0%	228	1.0%
Industrial facility/work site	3	1.1%	116	.5%	119	.5%
Retail Outlet			39	.2%	39	.2%
Mobile health unit			28	.1%	28	.1%
Patients' homes			35	.2%	35	.1%
Other			169	.7%	169	.7%

**Table 3.5: Number and Percent Distribution of Clinically Practicing Respondents by Types of Practice Settings where Time is Spent For Primary Employer\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	262	99.6%	23188	99.0%	23450	99.0%
Intensive/critical care unit of hospital	71	27.0%	5253	22.4%	5324	22.5%
Inpatient unit of hospital (not ICU/CCU)	119	45.2%	8072	34.5%	8191	34.6%
Outpatient unit of hospital	61	23.2%	4906	20.9%	4967	21.0%
Hospital emergency room	98	37.3%	7151	30.5%	7249	30.6%
Hospital operating room	78	29.7%	5126	21.9%	5204	22.0%
Other unit of hospital	31	11.8%	1980	8.5%	2011	8.5%
Federally Qualified Rural Health Center	3	1.1%	1112	4.7%	1115	4.7%
Other FQHC	5	1.9%	637	2.7%	642	2.7%
Other community health center/facility	4	1.5%	844	3.6%	848	3.6%
Freestanding urgent care facility	18	6.8%	1081	4.6%	1099	4.6%
Freestanding surgical facility	23	8.7%	1118	4.8%	1141	4.8%
Solo practice physician office	35	13.3%	3161	13.5%	3196	13.5%
Single-specialty physician group practice	110	41.8%	6666	28.5%	6776	28.6%
Multi-specialty physician group practice	31	11.8%	2973	12.7%	3004	12.7%
HMO facility	1	.4%	460	2.0%	461	1.9%
Nursing home or LTC facility	13	4.9%	1166	5.0%	1179	5.0%
University/college student health facility			257	1.1%	257	1.1%
School-based health facility			199	.8%	199	.8%
Other freestanding outpatient facility	9	3.4%	773	3.3%	782	3.3%
Correctional facility			370	1.6%	370	1.6%
Industrial facility/work site	4	1.5%	215	.9%	219	.9%
Retail Outlet			46	.2%	46	.2%
Mobile health unit			91	.4%	91	.4%
Patients' homes	2	.8%	333	1.4%	335	1.4%
Other	5	1.9%	566	2.4%	571	2.4%

\*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Table 3.6: Number and Percent Distribution of Clinically Practicing Respondents by General Specialty Practiced for Primary Employer**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	263	100.0%	23552	100.0%	23815	100.0%
Family/general medicine	49	18.6%	5883	25.0%	5932	24.9%
General internal medicine	10	3.8%	1633	6.9%	1643	6.9%
Emergency medicine	32	12.2%	2418	10.3%	2450	10.3%
General pediatrics	4	1.5%	575	2.4%	579	2.4%
General surgery	7	2.7%	647	2.7%	654	2.7%
Internal medicine subspecialties	24	9.1%	2674	11.4%	2698	11.3%
Pediatric subspecialties			372	1.6%	372	1.6%
Surgical subspecialties	84	31.9%	5211	22.1%	5295	22.2%
Obstetrics and gynecology	2	.8%	559	2.4%	561	2.4%
Occupational medicine	17	6.5%	557	2.4%	574	2.4%
Other	34	12.9%	3023	12.8%	3057	12.8%

**Table 3.7: Number and Percent Distribution of Clinically Practicing Respondents by Specialty Practiced for Primary Employer**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	263	100.0%	23552	100.0%	23815	100.0%
Addiction medicine			66	.3%	66	.3%
Allergy			127	.5%	127	.5%
Anesthesiology			60	.3%	60	.3%
Dermatology	8	3.0%	819	3.5%	827	3.5%
Emergency medicine	32	12.2%	2418	10.3%	2450	10.3%
Family practice w/o urgent care	31	11.8%	3549	15.1%	3580	15.0%
Family practice wt urgent care	18	6.8%	2334	9.9%	2352	9.9%
Genetics			7	.0%	7	.0%
Geriatrics			159	.7%	159	.7%
Obstetrics/gynecology	2	.8%	559	2.4%	561	2.4%
Occupational medicine	17	6.5%	557	2.4%	574	2.4%
Ophthalmology			23	.1%	23	.1%
Pain management	5	1.9%	270	1.1%	275	1.2%
Pathology			4	.0%	4	.0%
Physical med rehab	2	.8%	168	.7%	170	.7%
Psychiatry	1	.4%	242	1.0%	243	1.0%
Public health	1	.4%	48	.2%	49	.2%
Radiation oncology			57	.2%	57	.2%
Radiology			36	.2%	36	.2%
Interventional radiology	8	3.0%	187	.8%	195	.8%
Hospital medicine	4	1.5%	229	1.0%	233	1.0%
General surgery	7	2.7%	647	2.7%	654	2.7%
Surg: cardiovascular/cardiothoracic	13	4.9%	735	3.1%	748	3.1%
Surg: colon & rectal			26	.1%	26	.1%
Surg: hand	2	.8%	52	.2%	54	.2%
Surg: neurology	8	3.0%	565	2.4%	573	2.4%
Surg: oncology			58	.2%	58	.2%
Surg: orthopedics	36	13.7%	2375	10.1%	2411	10.1%
Surg: otorhinolaryngology	2	.8%	230	1.0%	232	1.0%
Surg: pediatric			31	.1%	31	.1%
Surg: plastic	3	1.1%	181	.8%	184	.8%
Surg: thoracic	1	.4%	37	.2%	38	.2%
Surg: transplant			67	.3%	67	.3%
Surg: trauma	2	.8%	104	.4%	106	.4%
Surg: urology	9	3.4%	276	1.2%	285	1.2%
Surg: vascular	1	.4%	143	.6%	144	.6%
Surg: bariatric	1	.4%	61	.3%	62	.3%
Surg: spine	6	2.3%	166	.7%	172	.7%
Surg: other			104	.4%	104	.4%
General pediatrics	4	1.5%	575	2.4%	579	2.4%
Ped: adolescent medicine			53	.2%	53	.2%
Ped: allergy			9	.0%	9	.0%
Ped: cardiology			19	.1%	19	.1%
Ped: critical care			22	.1%	22	.1%
Ped: endocrinology			10	.0%	10	.0%
Ped: gastroenterology			18	.1%	18	.1%
Ped: hematology/oncology			7	.0%	7	.0%
Ped: infectious disease			5	.0%	5	.0%
Ped: neonatal-perinatal			91	.4%	91	.4%
Ped: nephrology			1	.0%	1	.0%
Ped: neurology			18	.1%	18	.1%
Ped: pulmonology			14	.1%	14	.1%
Ped: rheumatology			2	.0%	2	.0%
Ped: oncology			23	.1%	23	.1%
Ped: other			80	.3%	80	.3%
General internal medicine	10	3.8%	1633	6.9%	1643	6.9%
IM: cardiology	9	3.4%	907	3.9%	916	3.8%
IM: critical care			105	.4%	105	.4%
IM: endocrinology			132	.6%	132	.6%
IM: gastroenterology	1	.4%	405	1.7%	406	1.7%
IM: hematology/oncology	4	1.5%	52	.2%	56	.2%
IM: immunology			4	.0%	4	.0%
IM: infectious disease	1	.4%	122	.5%	123	.5%
IM: nephrology	1	.4%	142	.6%	143	.6%
IM: neurology	2	.8%	141	.6%	143	.6%
IM: pulmonology	1	.4%	121	.5%	122	.5%
IM: rheumatology	1	.4%	73	.3%	74	.3%
IM: oncology	4	1.5%	401	1.7%	405	1.7%
IM: other			69	.3%	69	.3%
Other	5	1.9%	521	2.2%	526	2.2%

**Table 3.8: Summary Measures of Years in Clinical Practice as PA for Clinically Practicing Respondents**

	Indiana	All Others	Total
Respondents	260	23493	23753
Mean	8.5	9.4	9.4
Standard deviation	8.8	8.9	8.9
10th percentile	.1	.0	.0
25th percentile	3.0	3.0	3.0
Median	5.0	6.0	6.0
75th percentile	10.0	14.0	14.0
90th percentile	25.0	25.0	25.0

**Table 3.9: Summary Measures of Years in Current Position for Clinically Practicing Respondents**

	Indiana	All Others	Total
Respondents	255	23294	23549
Mean	5.0	4.8	4.8
Standard deviation	6.2	5.8	5.8
10th percentile	.0	.0	.0
25th percentile	1.0	1.0	1.0
Median	3.0	3.0	3.0
75th percentile	6.0	6.0	6.0
90th percentile	12.0	12.0	12.0

**Table 3.10: Summary Measures of Years in Current Specialty for Clinically Practicing Respondents**

	Indiana	All Others	Total
Respondents	260	23266	23526
Mean	6.5	6.6	6.6
Standard deviation	7.8	7.2	7.3
10th percentile	.0	.0	.0
25th percentile	2.0	1.0	1.0
Median	3.0	4.0	4.0
75th percentile	7.0	9.0	9.0
90th percentile	20.0	17.0	17.0

**Table 3.11: Number and Percent Distribution of Clinically Practicing Respondents by AAPA Region in Which Employed**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	257	100.0%	23111	100.0%	23368	100.0%
Northeast			5398	23.4%	5398	23.1%
Southeast			5617	24.3%	5617	24.0%
North Central	257	100.0%	4669	20.2%	4926	21.1%
South Central			3142	13.6%	3142	13.4%
West			4285	18.5%	4285	18.3%

**Table 3.12: Number and Percent Distribution of Clinically Practicing Respondents by State/Geographic Location in Which Employed**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	257	100.0%	23111	100.0%	23368	100.0%
Alaska			141	.6%	141	.6%
Alabama			142	.6%	142	.6%
Arkansas			37	.2%	37	.2%
Arizona			567	2.5%	567	2.4%
California			1712	7.4%	1712	7.3%
Colorado			628	2.7%	628	2.7%
Connecticut			498	2.2%	498	2.1%
District Of Columbia			83	.4%	83	.4%
Delaware			84	.4%	84	.4%
Florida			1306	5.7%	1306	5.6%
Georgia			731	3.2%	731	3.1%
Guam			7	.0%	7	.0%
Hawaii			59	.3%	59	.3%
Iowa			339	1.5%	339	1.5%
Idaho			168	.7%	168	.7%
Illinois			715	3.1%	715	3.1%
Indiana	257	100.0%			257	1.1%
Kansas			295	1.3%	295	1.3%
Kentucky			272	1.2%	272	1.2%
Louisiana			169	.7%	169	.7%
Massachusetts			556	2.4%	556	2.4%
Maryland			543	2.3%	543	2.3%
Maine			203	.9%	203	.9%
Michigan			1095	4.7%	1095	4.7%
Minnesota			488	2.1%	488	2.1%
Missouri			221	1.0%	221	.9%
Mississippi			34	.1%	34	.1%
Montana			148	.6%	148	.6%
North Carolina			1158	5.0%	1158	5.0%
North Dakota			87	.4%	87	.4%
Nebraska			306	1.3%	306	1.3%
New Hampshire			155	.7%	155	.7%
New Jersey			359	1.6%	359	1.5%
New Mexico			156	.7%	156	.7%
Nevada			168	.7%	168	.7%
New York			1951	8.4%	1951	8.3%
Ohio			581	2.5%	581	2.5%
Oklahoma			362	1.6%	362	1.5%
Oregon			313	1.4%	313	1.3%
Pennsylvania			1420	6.1%	1420	6.1%
Rhode Island			93	.4%	93	.4%
South Carolina			261	1.1%	261	1.1%
South Dakota			175	.8%	175	.7%
Tennessee			361	1.6%	361	1.5%
Texas			1461	6.3%	1461	6.3%
Utah			236	1.0%	236	1.0%
Virginia			550	2.4%	550	2.4%
Vermont			79	.3%	79	.3%
Washington			685	3.0%	685	2.9%
Wisconsin			662	2.9%	662	2.8%
West Virginia			210	.9%	210	.9%
Wyoming			81	.4%	81	.3%

**Table 3.13: Number and Percent Distribution of Clinically Practicing Respondents by Metropolitan Status and Degree of Rurality of County of Primary Work Site\***

		Indiana		All Others		Total	
		Count	Percent	Count	Percent	Count	Percent
Respondents		249	100.0%	22305	100.0%	22554	100.0%
Not metro	NonMetro, with urban pop >20K and adjacent to metro area	15	6.0%	974	4.4%	989	4.4%
	NonMetro, with urban pop >20K, not adjacent to metro area	3	1.2%	544	2.4%	547	2.4%
	NonMetro, with urban pop 2.5K-20K, adjacent to metro area	4	1.6%	838	3.8%	842	3.7%
	NonMetro, with urban pop 2.5K-20K, not adjacent to metro area			659	3.0%	659	2.9%
	NonMetro, with urban pop < 2,500, adjacent to metro area			137	.6%	137	.6%
	NonMetro, with urban pop <2,500, not adjacent to metro area			233	1.0%	233	1.0%
	Metro	Metro, >1M Population	120	48.2%	10772	48.3%	10892
	Metro, 250K-1M Population	74	29.7%	5499	24.7%	5573	24.7%
	Metro, <250K Population	33	13.3%	2649	11.9%	2682	11.9%

Zip Code of primary work site was linked to County Rural-Urban Continuum Code from the Area Resource File obtained through the Bureau of Health Professions, US-DHHS.

**Table 3.14: Number and Percent Distribution of Clinically Practicing Respondents Who Perform Select Functions at Primary Clinical Job\***

		Indiana		All Others		Total	
		Count	Percent	Count	Percent	Count	Percent
Respondents		260	100.0%	23530	100.0%	23790	100.0%
Minor surgical procedures		154	59.2%	13796	58.6%	13950	58.6%
First assisting at surgery		88	33.8%	5582	23.7%	5670	23.8%
Manage the care of patients in an inpatient setting		116	44.6%	8931	38.0%	9047	38.0%
Serve on the quality assurance committee		12	4.6%	1901	8.1%	1913	8.0%
Serve on the utilization review committee		3	1.2%	755	3.2%	758	3.2%
Participate in the conduct of clinical trials		38	14.6%	2709	11.5%	2747	11.5%
Serve on formulary/pharmaceutical selection committee		5	1.9%	597	2.5%	602	2.5%
Decision making about procurement of medical/surgical equipment/supplies		51	19.6%	4511	19.2%	4562	19.2%
Supervisory/managerial responsibilities for other PAs		16	6.2%	2174	9.2%	2190	9.2%
Supervisory/managerial responsibilities for clinical staff other than PAs		37	14.2%	4237	18.0%	4274	18.0%
Supervisory/managerial responsibilities for non-clinical staff		11	4.2%	2015	8.6%	2026	8.5%
Precept PA students		91	35.0%	8314	35.3%	8405	35.3%
Precept students of other health professions		61	23.5%	5686	24.2%	5747	24.2%

\*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Table 3.15: Number and Percent Distribution of Clinically Practicing Respondents by Hours Worked per Week at Primary Clinical Job**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	264	100.0%	23695	100.0%	23959	100.0%
32 or more hours	221	83.7%	20202	85.3%	20423	85.2%
Less than 32 hours	38	14.4%	3023	12.8%	3061	12.8%
Hours not reported	5	1.9%	470	2.0%	475	2.0%

**Section IV: Information about Respondents Who Work at Least 32 Hours per Week at Their Primary Clinical Job**

**Table 4.1: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Patients Treated\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	156	100.0%	13482	100.0%	13638	100.0%
See some inpatients	88	56.4%	5930	44.0%	6018	44.1%
See some outpatients	147	94.2%	11588	86.0%	11735	86.0%
See some other patients**	7	4.5%	821	6.1%	828	6.1%

\*Data represent only respondents who reported complete information about both hours and visits for all patient types. Percentages sum to more than 100 because respondents may see multiple types of patients.

\*\*Other patients are those who were not classified as either inpatients or outpatients.

**Table 4.2: Summary Measures of Total Hours Worked per Week for Primary Clinical Employer by Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job**

	Indiana	All Others	Total
Respondents	221	20202	20423
Mean	45.3	44.3	44.3
Standard deviation	16.3	8.1	8.2
10th percentile	35.2	36.0	36.0
25th percentile	40.0	40.0	40.0
Median	42.0	41.0	41.0
75th percentile	50.0	50.0	50.0
90th percentile	55.0	55.0	55.0

**Table 4.3: Summary Measures of Hours Providing Direct Inpatient Care per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job\***

	Indiana	All Others	Total
Respondents	8	1358	1366
Mean	43.3	43.0	43.0
Standard deviation	6.0	7.8	7.7
10th percentile	36.0	35.0	35.0
25th percentile	40.0	40.0	40.0
Median	42.0	40.0	40.0
75th percentile	45.0	45.0	45.0
90th percentile	.	50.0	50.0

\*Excludes time spent performing tasks other than providing direct patient care to inpatients.

**Table 4.4: Summary Measures of Inpatient Encounters per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job**

	Indiana	All Others	Total
Respondents	8	1358	1366
Mean	61.9	62.1	62.1
Standard deviation	35.7	40.9	40.9
10th percentile	20.0	20.0	20.0
25th percentile	40.0	35.0	35.0
Median	47.5	50.0	50.0
75th percentile	87.5	80.0	80.0
90th percentile	.	100.0	100.0

**Table 4.5: Summary Measures of Hours Providing Direct Outpatient Care per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job\***

	Indiana	All Others	Total
Respondents	52	5585	5637
Mean	38.7	38.9	38.9
Standard deviation	8.5	5.3	5.3
10th percentile	32.0	33.0	33.0
25th percentile	35.0	35.0	35.0
Median	38.0	40.0	40.0
75th percentile	40.0	40.0	40.0
90th percentile	45.0	45.0	45.0

\*Excludes time spent performing tasks other than providing direct patient care to outpatients.

**Table 4.6: Summary Measures of Outpatient Visits per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job**

	Indiana	All Others	Total
Respondents	52	5585	5637
Mean	87.3	93.3	93.3
Standard deviation	43.1	39.4	39.5
10th percentile	40.0	50.0	50.0
25th percentile	61.5	70.0	70.0
Median	80.0	90.0	90.0
75th percentile	100.0	110.0	110.0
90th percentile	128.5	140.0	140.0

**Table 4.7 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Whether Call is Taken**

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	220	100.0%	20108	100.0%	20328	100.0%
Do not take call	143	65.0%	12336	61.3%	12479	61.4%
Take some call	66	30.0%	6603	32.8%	6669	32.8%
Take call, hours unknown			96	.5%	96	.5%
Always on call	11	5.0%	1073	5.3%	1084	5.3%

**Table 4.8 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Call Taken for Those Who Take Call and Reported Type\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	39	100.0%	4502	100.0%	4541	100.0%
Emergency department call	13	33.3%	1118	24.8%	1131	24.9%
Surgical assisting call	17	43.6%	1331	29.6%	1348	29.7%
In-house call	17	43.6%	1443	32.1%	1460	32.2%
Other call	18	46.2%	2351	52.2%	2369	52.2%

\*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Table 4.9: Summary Measures of Call Hours per Month for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job\***

	Indiana	All Others	Total
Respondents	66	6603	6669
Mean	100.0	94.3	94.4
Standard deviation	104.7	85.8	86.0
10th percentile	10.0	12.0	12.0
25th percentile	25.5	32.0	32.0
Median	72.0	72.0	72.0
75th percentile	146.3	125.0	125.0
90th percentile	201.2	200.0	200.0

\*Includes only PAs who report taking call, but are not always on call.

**Table 4.10: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Type of Base Pay Received\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	215	100.0%	19214	100.0%	19429	100.0%
Salary	185	86.0%	15492	80.6%	15677	80.7%
Hourly wage	30	14.0%	3346	17.4%	3376	17.4%
Other type of base pay			223	1.2%	223	1.1%
Do not receive base pay			153	.8%	153	.8%

\*Excludes self-employed PAs.

**Table 4.11: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Compensation Received\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	214	100.0%	18812	100.0%	19026	100.0%
Base Pay	213	99.5%	18543	98.6%	18756	98.6%
Surgical assisting fees	3	1.4%	387	2.1%	390	2.0%
Overtime pay	21	9.8%	2715	14.4%	2736	14.4%
Shift differential	7	3.3%	943	5.0%	950	5.0%
Administrative pay	4	1.9%	481	2.6%	485	2.5%
Pay for on-call availability	16	7.5%	1250	6.6%	1266	6.7%
Pay for on-call services/events	18	8.4%	1134	6.0%	1152	6.1%
Bonus not based on productivity/performance	65	30.4%	3852	20.5%	3917	20.6%
Bonus based on productivity of practice	31	14.5%	2200	11.7%	2231	11.7%
Bonus based on own productivity/performance	44	20.6%	3544	18.8%	3588	18.9%

\*Excludes self-employed PAs. Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Table 4.12: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance by Measures on Which Incentive is Based\***

	Indiana		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	71	100.0%	5627	100.0%	5698	100.0%
Bonus based on charges	18	25.4%	1331	23.7%	1349	23.7%
Bonus based on revenues	33	46.5%	2334	41.5%	2367	41.5%
Bonus based on relative value units	13	18.3%	1118	19.9%	1131	19.8%
Bonus based on profit	23	32.4%	1277	22.7%	1300	22.8%
Bonus based on number of visits or panel size	15	21.1%	1090	19.4%	1105	19.4%
Bonus based on quality of care	15	21.1%	808	14.4%	823	14.4%
Bonus based on patient satisfaction	19	26.8%	947	16.8%	966	17.0%
Bonus based on other factors	12	16.9%	812	14.4%	824	14.5%

\*Excludes self-employed PAs. Percentages sum to more than 100 because respondents were instructed to mark all that apply.

**Table 4.13: Summary Measures of Total Annual Income from Primary Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job\***

	Indiana	All Others	Total
Respondents	216	19312	19528
Mean	\$78,927	\$86,296	\$86,214
Standard deviation	\$17,796	\$21,930	\$21,901
10th percentile	\$61,577	\$64,438	\$64,374
25th percentile	\$67,931	\$71,964	\$71,908
Median	\$75,750	\$82,297	\$82,223
75th percentile	\$86,889	\$96,096	\$96,010
90th percentile	\$101,012	\$112,993	\$112,889

\*Excludes self-employed PAs.

**Table 4.14: Summary Measures of Total Annual Income from Primary Employer for Respondents Who Graduated in 2006 and Work at Least 32 Hours per Week at Primary Clinical Job\***

	Indiana	All Others	Total
Respondents	23	2117	2140
Mean	\$68,312	\$73,064	\$73,013
Standard deviation	\$7,511	\$13,054	\$13,015
10th percentile	\$59,717	\$60,143	\$60,136
25th percentile	\$62,329	\$65,752	\$65,663
Median	\$67,952	\$71,854	\$71,825
75th percentile	\$73,184	\$79,069	\$79,044
90th percentile	\$80,554	\$88,921	\$88,821

\*Excludes self-employed PAs.

\*\*Due to federal regulations, income data for cohorts with fewer than 10 respondents have been omitted.