

2004 AAPA Physician Assistant Census Report - Delaware

Introduction

The American Academy of Physician Assistants (AAPA) was founded in 1968 and is the only national organization representing physician assistants (PAs) in all medical specialties. The Academy educates the general public about the PA profession, assures competency of PAs through active involvement in the accreditation of PA programs, provides continuing education, and conducts PA-related research. The Academy works to promote quality, cost-effective health care, and the professional and personal growth of PAs.

From 1990 to 1995, the AAPA conducted a census survey of its members. Beginning in 1996, the census survey was expanded to include those PAs who were not members of AAPA. While the survey instrument and the data collection process have undergone some revisions since the inception of the census, the general approach and data elements have remained much the same.

The data collection effort for the 2004 AAPA Physician Assistant Census was conducted between March 15 and September 15, 2004. Survey forms were mailed to all individuals, both AAPA members and non-members, who were believed to be eligible to practice as PAs in the United States as of December 31, 2003 and for whom address information was available. Surveys were not mailed to individuals who had indicated on a previous Census that they were retired or working as a physician. In total, forms were mailed to 58,826 people – accounting for 95.0 percent of the 61,891 individuals eligible to practice as PAs. Completed surveys were received from 23,494 people, representing 38.0 percent of all individuals eligible to practice as PAs and 39.9 percent of the PAs who were mailed a survey form. Of the 30,019 AAPA members who were mailed a form, 16,138 (53.8%) responded; of the 28,807 non-members who were mailed a form, 7,356 (25.5%) responded. This document presents the responses received on the census survey and also includes certain static information derived from the AAPA Masterfile, such as sex, race, and age. It should be noted that these data have not been weighted or adjusted to account for non-response, the number of usable responses for each item varies due to item non-response, and that the percentages displayed in all tables may not sum to 100 due to rounding.

To facilitate locating specific items of interest, an index of the subjects addressed by the tables is provided in addition to a list of tables.

Highlights of National Statistics

Section I. Characteristics of Respondents and Non-Respondents

Sex: Females accounted for 60 percent of the respondents to this year's census.

Ethnicity: White PAs comprise 88 percent of the respondents.

Age: The mean age of census respondents is 42 years; the median is 41.

PA Education: Half (50%) of respondents hold a bachelor's level PA degree; 22 percent of respondents hold a master's level PA degree.

Types of Degrees Held: Ninety-one percent of respondents hold a bachelor's degree or higher; thirty-five percent hold a masters degree. Only about two percent of respondents hold a doctoral degree.

Age at Time of Graduation from PA School: The mean age at time of graduation from PA school was 31 years; the median was 29.

Years Since Graduation from PA School The mean number of years since graduation from PA school for census respondents is 11; the median is 7.

Section II. Professional Status of Respondents

Practice Status: The vast majority of respondents (89%) are in clinical practice.

Current Profession: Four percent of respondents reported working as a PA educator. This was the most common professional activity other than providing clinical services as a PA.

Section III: Information about Respondents in Clinical Practice

Number of Clinical PA Jobs: Eighty-five percent of respondents reported working exactly one clinical PA job; 15 percent work more than one clinical PA job concurrently.

Employer Type: More than four in ten respondents (43%) are employed by a single or multi-specialty physician group practice while 22 percent are employed by hospitals and 14 percent are employed by solo physician offices.

Government Employment: About 10 percent of respondents work for some type of government agency. The Department of Veterans' Affairs is the single largest government employer of PAs accounting for just over two percent of respondents; state governments collectively employ about two percent of this year's respondents.

Primary Work Setting: The most prevalent "primary" work setting, reported by 37 percent of respondents, is a hospital; the hospital departments cited most frequently as primary settings are hospital emergency rooms (10%), hospital inpatient units (9%), hospital outpatient units (8%), and hospital operating rooms (7%). Physician group practices are the primary work setting for 29 percent of respondents; 20 percent report working in a single-specialty group practice and 9 percent report working in a multi-specialty group practice. Other settings reported as the primary work setting by large numbers of PAs include solo-practice physician offices (13%), and Federally Qualified Health Centers or community health facilities (8%).

Work Settings where Clinical Services are Provided over the Course of a Typical Month:

Respondents were asked to indicate all of the settings where they provide clinical services for their primary clinical employer over the course of a typical month. The specific work settings reported by at least 20 percent of respondents are hospital inpatient units (33%), hospital emergency rooms (29%), single-specialty physician group practices (26%), hospital operating rooms (21%), hospital outpatient units (21%), and hospital intensive care/critical care units (20%).

Primary Specialty of Practice: While PAs practice in at least 61 specialty fields, 42 percent of this year's respondents reported that their primary specialty was one of the primary care fields: family/general practice medicine (30%), general internal medicine (8%), obstetrics/gynecology (3%), and general pediatrics (3%). Other prevalent specialties for PAs include general surgery/surgical subspecialties (24%), emergency medicine (10%), and the subspecialties of internal medicine (10%).

Years in Clinical Practice: The mean number of years in clinical practice is 9.2; the median is 6 years.

Years in Current Position: The mean number of years respondents have worked in their current position is 5.0; the median is 3 years.

Years in Current Specialty: The mean number of years respondents have worked in their current specialty is 6.4; the median is 4 years.

Geographic Distribution: The states in which the largest numbers of clinically practicing respondents are employed include: New York (10%), California (8%), Texas (6%), Pennsylvania (6%), Florida (5%), and North Carolina (5%).

Metropolitan Status of Work Site: About one-fifth of respondents (19%) work in counties that are classified as non-metropolitan.

Functions and Responsibilities: PAs can perform a variety of functions for their primary employers. More than one-fourth of respondents (27%) reported assisting in surgery and about four in ten (42%) reported performing invasive procedures. Nine percent of respondents reported supervising other PAs, and one in five (20%) reported supervising other clinical staff. More than one-third of respondents (37%) indicated that they precept PA students; one-fourth (25%) reported precepting students of other health professions.

Work Status: The majority of clinically practicing respondents (87%) work full-time, defined as more than 32 hours per week, for their primary clinical employer.

Section IV. Information about Respondents in Clinical Practice Who Work at Least 32 Hours per Week at Their Primary Clinical Job

Hours Worked: The mean number of hours worked by the respondents who work more than 32 hours in a typical week is 44.4; the median is 42 hours.

Patient Visits/Encounters: Due to the variety of work settings and specialty fields in which PAs practice, the types of patients PAs treat are quite varied. The vast majority (91%) of census respondents who work full-time see some outpatients in their primary job; the mean number of patient visits provided per week by PAs who see outpatients exclusively is 96.0. One-third of respondents who work full-time (33%) see some inpatients in their primary job; the mean number of patient encounters provided per week by respondents who see inpatients exclusively is 61.8. Six percent of full-time PAs reported seeing some nursing home patients in their primary job, and only four percent of respondents report seeing patients who can not be classified as inpatients, outpatients, or nursing home patients.

Working in Hospitals: Almost two-thirds (64%) of respondents report seeing patients in at least one hospital and one in five (21%) report seeing patients in more than one hospital. The vast majority (98%) of respondents who see patients in hospitals have privileges granted by the medical staff in at least one hospital. Forty-five percent of respondents who see patients in hospitals are members of at least one hospital's medical staff and 42% are members of at least one hospital's PA staff.

Taking Call: More than one-third of full-time respondents (39%) reported taking call for their primary employer. The mean hours on call per month for those PAs who reported taking some call but who were not always on call is 99.

Base Pay: The majority of respondents (80%) reported receiving their base pay in the form of a salary; 18 percent indicated that they receive an hourly wage.

Compensation: Respondents reported receiving several additional forms of compensation from their primary employer. The most common form of additional compensation was a bonus or incentive pay based on the PA's productivity or performance, reported by 24 percent of respondents. Eighteen percent of respondents reported receiving overtime pay while 17 percent reported receiving a bonus based on something other than productivity or performance. Almost half of those who reported receiving an incentive based on productivity or performance (46%) indicated that the incentive was based on revenue.

Annual Income: The median total annual income from primary employer for respondents who work at least 32 hours per week for their primary employer and who are not self-employed is \$74,264; the mean is \$78,257. The comparable figures for respondents who graduated in 2003 are \$64,536 and \$65,641, respectively.

CME Funding: Eighty-eight percent of respondents reported having CME funds available to them from their primary employer. For those PAs who reported the amount of CME funds available to them, the mean is \$1,559; the median is \$1,500.

Source of Funds for Insurance and Other Expenses: Ninety-seven percent of respondents reported that their employer pays 95-100% of the cost of their professional liability insurance. Other expenses for which employers often pay 95-100% of the cost include DEA registration fees (75%), credentialing fees (73%), state license fees (71%), AAPA dues (63%), and NCCPA fees (63%).

List of Tables

Section I: Characteristics of 2004 AAPA Census Respondents

Table 1.1	Number and Percent Distribution for Defined Subpopulations
Table 1.2	Number and Percent Distribution of Defined Subpopulations by Sex
Table 1.3	Number and Percent Distribution of Defined Subpopulations by Race
Table 1.4	Number and Percent Distribution of Defined Subpopulations by PA Degrees Held
Table 1.5	Number and Percent Distribution of Defined Subpopulations by Types of Degrees Held
Table 1.6	Summary Measures of Age for Defined Subpopulations
Table 1.7	Summary Measures of Age during Year of Graduation from PA School for Defined Subpopulations
Table 1.8	Summary Measures of Years since Graduation from PA School for Defined Subpopulations

Section II: Professional Status of Respondents

Table 2.1	Number and Percent Distribution of Respondents by Clinical Practice Status
Table 2.2	Number and Percent Distribution of Respondents by Current Professional Status

Section III Information about Respondents in Clinical Practice

Table 3.1	Number and Percent Distribution of Clinically Practicing Respondents by Number of Concurrent PA Jobs
Table 3.2	Number and Percent Distribution of Clinically Practicing Respondents by Type of Primary Employer
Table 3.3	Number and Percent Distribution of Clinically Practicing Respondents by Primary Employer's Government Affiliation
Table 3.4	Number and Percent Distribution of Clinically Practicing Respondents by Primary Work Setting
Table 3.5	Number and Percent Distribution of Clinically Practicing Respondents by Types of Practice Settings where Time is Spent
Table 3.6	Number and Percent Distribution of Clinically Practicing Respondents by General Specialty Practiced for Primary Employer
Table 3.7	Number and Percent Distribution of Clinically Practicing Respondents by Specialty Practiced for Primary Employer
Table 3.8	Summary Measures of Years in Clinical Practice as PA for Clinically Practicing Respondents
Table 3.9	Summary Measures of Years in Current Position for Clinically Practicing Respondents
Table 3.10	Summary Measures of Years in Current Specialty for Clinically Practicing Respondents
Table 3.11	Number and Percent Distribution of Clinically Practicing Respondents by AAPA Region in Which Employed

List of Tables (continued)

- Table 3.12 Number and Percent Distribution of Clinically Practicing Respondents by State/Geographic Location in Which Employed
- Table 3.13 Number and Percent Distribution of Clinically Practicing Respondents by Metropolitan Status of Primary Practice Site
- Table 3.14 Number and Percent Distribution of Clinically Practicing Respondents Who Perform Select Functions at Primary Clinical Job
- Table 3.15 Number and Percent Distribution of Clinically Practicing Respondents by Hours Worked per Week at Primary Clinical Job

Section IV: Information about Respondents Who Work at Least 32 Hours per Week at Their Primary Clinical Job

- Table 4.1 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Patients Treated
- Table 4.2 Summary Measures of Total Hours Worked per Week for Primary Clinical Employer by Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
- Table 4.3 Summary Measures of Hours Providing Direct Inpatient Care per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.4 Summary Measures of Inpatient Encounters per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.5 Summary Measures of Hours Providing Direct Outpatient Care per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.6 Summary Measures of Outpatient Visits per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job
- Table 4.7 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA Sees Patients
- Table 4.8 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and See Some Hospital Patients by Number of Hospitals with Privileges Granted by Medical Staff
- Table 4.9 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Medical Staff
- Table 4.10 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of PA Staff
- Table 4.11 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Allied Health Staff
- Table 4.12 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Other Staff Category
- Table 4.13 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Responsibility for Call

List of Tables (continued)

Table 4.14	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Call Taken
Table 4.15	Summary Measures of Call Hours per Month for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
Table 4.16	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Type of Base Pay Received
Table 4.17	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Additional Compensation Received
Table 4.18	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance by Measures on Which Incentive is Based
Table 4.19	Summary Measures of Total Annual Income from Primary Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job
Table 4.20	Summary Measures of Total Annual Income from Primary Employer for Respondents Who Graduated in 2003 and Work at Least 32 Hours per Week at Primary Clinical Job
Table 4.21	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Whether CME Funds Are Available from Primary Employer
Table 4.22	Summary Measures of CME Funds Provided by Primary Clinical Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive CME Funding
Table 4.23	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Source of Funds for Types of Insurance
Table 4.24	Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Source of Funds for Select Expenses

Index of Subjects Addressed by Tables

Topic	Table Number
Age, during Year of Graduation from PA School, Summary Measures for Defined Subpopulations	Table 1.7
Age, in Year of Census, Summary Measures for Defined Subpopulations	Table 1.6
Call, Hours Taken per Month, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.15
Call, Responsibility for Taking, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.13
Call, Types Taken, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.14
Clinical Practice Status, Number and Percent Distribution of Respondents	Table 2.1
CME, Amount of Funds Provided by Primary Clinical Employer, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive CME Funding	Table 4.22
CME, Whether Funding Available from Primary Employer, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.21
Compensation, Measures on Which Incentive is Based, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance	Table 4.18
Compensation, 2003 Graduates, Total Annual Income from Primary Employer, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.20
Compensation, Total Annual Income from Primary Employer, Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.19
Compensation, Types of Additional Compensation Received, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.17
Compensation, Types of Base Pay Received, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.16
Concurrent PA Jobs, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.1
Current Professional Status, Number and Percent Distribution of Respondents	Table 2.2
Education, PA Degrees, Number and Percent Distribution of Defined Subpopulations	Table 1.4
Education, Types of Degrees Held, Number and Percent Distribution of Defined Subpopulations	Table 1.5
Employer Type, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.2
Fringe Benefits, Source of Funds for Select Expenses, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.24

Topic	Table Number
Fringe Benefits, Source of Funds for Types of Insurance, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.23
Functions Performed at Primary Clinical Job, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.14
Government Employment, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.3
Hospitals, Number in which PA is Member of Allied Health Staff, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.11
Hospitals, Number in which PA is Member of Medical Staff, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.9
Hospitals, Number in which PA is Member of Other Staff Category, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.12
Hospitals, Number in which PA is Member of PA Staff, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.10
Hospitals, Number in which PA Sees Patients, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.7
Hospitals, Number with Privileges Granted by Medical Staff, Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and See Some Hospital Patients	Table 4.8
Hours Providing Direct Inpatient Care per Week, Summary Measures for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.3
Hours Providing Direct Outpatient Care per Week, Summary Measures for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.5
Hours Worked per Week at Primary Clinical Job, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.15
Hours Worked per Week for Primary Clinical Employer (total), Summary Measures for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.2
Metropolitan Status of Primary Practice Site, Number and Percent Distribution of Clinically Practicing Respondents	Table 3.13
Race, Number and Percent Distribution of Defined Subpopulations	Table 1.3
Region (AAPA) in Which Employed, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.11
Respondents, Number and Percent Distribution of Defined Subpopulations	Table 1.1
Sex, Number and Percent Distribution of Defined Subpopulations	Table 1.2
Specialty Practiced for Primary Employer, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.7

Topic	Table Number
Specialty, General Field Practiced for Primary Employer, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.6
State/Geographic Location in Which Employed, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.12
Types of Patients Treated, Number and Percent Distribution for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job	Table 4.1
Visits/Encounters per week, Inpatient, Summary Measures for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.4
Visits/Encounters per week, Outpatient, Summary Measures for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job	Table 4.6
Work Setting, Primary, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.4
Work Settings, All, Number and Percent Distribution for Clinically Practicing Respondents	Table 3.5
Years in Clinical Practice as PA, Summary Measures for Clinically Practicing Respondents	Table 3.8
Years in Current Position, Summary Measures for Clinically Practicing Respondents	Table 3.9
Years in Current Specialty, Summary Measures for Clinically Practicing Respondents	Table 3.10
Years since Graduation from PA School, Summary Measures for Defined Subpopulations	Table 1.8

2004 AAPA Physician Assistant Census Report for Delaware

Section I: Characteristics of 2004 AAPA Census Respondents

Table 1.1: Number and Percent Distribution of Census Respondents by whether State is Delaware

	Count	Percent
Total	23494	100.0%
Delaware	72	.3%
All Others	23422	99.7%

Table 1.2: Number and Percent Distribution of Census Respondents by Sex

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Male	32	44.4%	9212	39.7%	9244	39.7%
Female	40	55.6%	13987	60.3%	14027	60.3%

Table 1.3: Number and Percent Distribution of Census Respondents by Race

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Delaware Black (Not Hispanic)	1	1.6%			1	1.6%
Delaware Hispanic/Latino Origin	1	1.6%			1	1.6%
Delaware White (Not Hispanic)	62	96.9%			62	96.9%
All Others Asian/Pacific Islander			708	3.4%	708	3.4%
All Others Black (Not Hispanic)			616	2.9%	616	2.9%
All Others Hispanic/Latino Origin			787	3.7%	787	3.7%
All Others Amer Indian/Alaskan			190	.9%	190	.9%
All Others White (Not Hispanic)			18647	88.4%	18647	88.4%
All Others Multiracial			153	.7%	153	.7%

Table 1.4: Number and Percent Distribution of Census Respondents by PA Degrees Held

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Do not have certificate in PA studies	43	76.8%	12639	64.3%	12682	64.4%
Have certificate in PA studies	13	23.2%	7007	35.7%	7020	35.6%
Do not have associate's in PA studies	51	91.1%	18079	92.0%	18130	92.0%
Have associate's in PA studies	5	8.9%	1567	8.0%	1572	8.0%
Do not have bachelor's in PA studies	25	44.6%	9828	50.0%	9853	50.0%
Have bachelor's in PA studies	31	55.4%	9818	50.0%	9849	50.0%
Do not have master's in PA studies	41	73.2%	15386	78.3%	15427	78.3%
Have master's in PA studies	15	26.8%	4260	21.7%	4275	21.7%

Table 1.5: Number and Percent Distribution of Census Respondents by Types of Degrees Held

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Do not have bachelor's degree	1	1.8%	1815	9.2%	1816	9.2%
Have bachelor's degree	55	98.2%	17831	90.8%	17886	90.8%
Do not have master's degree	31	55.4%	12689	64.6%	12720	64.6%
Have master's degree	25	44.6%	6957	35.4%	6982	35.4%
Do not have doctoral degree	56	100.0%	19346	98.5%	19402	98.5%
Have doctoral degree			300	1.5%	300	1.5%

Table 1.6: Summary Measures of Age for Census Respondents

	Delaware	All Others	Total
Count	72	23352	23424
Mean	39.9	41.6	41.6
Standard deviation	9.0	10.7	10.7
10th percentile	28.3	28.0	28.0
25th percentile	32.0	32.0	32.0
Median	38.0	41.0	41.0
75th percentile	47.8	50.0	50.0
90th percentile	52.0	56.0	56.0

Table 1.7: Summary Measures of Age During Year of Graduation from PA School for Census Respondents

	Delaware	All Others	Total
Count	72	23352	23424
Mean	29.9	30.9	30.9
Standard deviation	6.2	7.0	7.0
10th percentile	23.3	24.0	24.0
25th percentile	26.0	26.0	26.0
Median	28.0	29.0	29.0
75th percentile	33.0	34.0	34.0
90th percentile	40.4	41.0	41.0

Table 1.8: Summary Measures of Years since Graduation from PA School for Census Respondents

	Delaware	All Others	Total
Count	72	23422	23494
Mean	10.0	10.7	10.7
Standard deviation	8.6	9.0	9.0
10th percentile	1.0	1.0	1.0
25th percentile	2.3	3.0	3.0
Median	8.0	7.0	7.0
75th percentile	15.5	18.0	18.0
90th percentile	23.7	26.0	26.0

Section II: Professional Status of Respondents

Table 2.1: Number and Percent Distribution of Respondents by Clinical Practice Status

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	72	100.0%	23422	100.0%	23494	100.0%
In clinical practice	67	93.1%	20789	88.8%	20856	88.8%
Not in clinical practice	5	6.9%	2633	11.2%	2638	11.2%

Table 2.2: Number and Percent Distribution of Respondents by Current Professional Status*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	72	100.0%	23422	100.0%	23494	100.0%
Clinically practicing PA	67	93.1%	20789	88.8%	20856	88.8%
Clinically practicing physician or resident	2	2.8%	107	.5%	109	.5%
Clinically practicing NP			230	1.0%	230	1.0%
Other clinically practicing provider			161	.7%	161	.7%
PA educator	2	2.8%	947	4.0%	949	4.0%
Other health professions educator			300	1.3%	300	1.3%
Health care professional-administrator	1	1.4%	383	1.6%	384	1.6%
Health care professional-researcher			160	.7%	160	.7%
Health care professional-lawyer			12	.1%	12	.1%
Health care professional-public health			60	.3%	60	.3%
Health care professional-other			537	2.3%	537	2.3%
Other non-health professional			243	1.0%	243	1.0%
Student in post-graduate PA program			170	.7%	170	.7%
Medical student			56	.2%	56	.2%
Other student			87	.4%	87	.4%
Not employed by choice			565	2.4%	565	2.4%
Employed, seeking PA job	1	1.4%	123	.5%	124	.5%
Unemployed, seeking PA job	1	1.4%	249	1.1%	250	1.1%
Unemployed, seeking non-PA job			68	.3%	68	.3%
Retired			453	1.9%	453	1.9%
Other			309	1.3%	309	1.3%

*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Section III: Information about Respondents in Clinical Practice

Table 3.1: Number and Percent Distribution of Clinically Practicing Respondents by Number of Concurrent PA Jobs

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20789	100.0%	20856	100.0%
One	51	76.1%	17652	84.9%	17703	84.9%
Two	13	19.4%	2554	12.3%	2567	12.3%
Three	3	4.5%	384	1.8%	387	1.9%
More than three			90	.4%	90	.4%
Self-employed w/mult contracts			109	.5%	109	.5%

Table 3.2: Number and Percent Distribution of Clinically Practicing Respondents by Type of Primary Employer

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20765	100.0%	20832	100.0%
Self-employed			553	2.7%	553	2.7%
Solo physician practice	9	13.4%	2920	14.1%	2929	14.1%
Single-specialty physician group	27	40.3%	6224	30.0%	6251	30.0%
Multi-specialty physician group	6	9.0%	2694	13.0%	2700	13.0%
University hospital			1517	7.3%	1517	7.3%
Other hospital	14	20.9%	3069	14.8%	3083	14.8%
Freestanding urgent care center	3	4.5%	385	1.9%	388	1.9%
Freestanding surgical center			25	.1%	25	.1%
Nursing home or LTC facility			55	.3%	55	.3%
Home health agency	1	1.5%	2	.0%	3	.0%
Hospice			1	.0%	1	.0%
HMO			550	2.6%	550	2.6%
Community health center	1	1.5%	1226	5.9%	1227	5.9%
Medical staffing agency			58	.3%	58	.3%
Physician practice mngmt org	4	6.0%	305	1.5%	309	1.5%
Integrated health system	1	1.5%	200	1.0%	201	1.0%
Corrections system			229	1.1%	229	1.1%
Other	1	1.5%	752	3.6%	753	3.6%

Table 3.3: Number and Percent Distribution of Clinically Practicing Respondents by Primary Employer's Government Affiliation

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20556	100.0%	20623	100.0%
Not government employed	66	98.5%	18523	90.1%	18589	90.1%
Air Force	1	1.5%	143	.7%	144	.7%
Army			302	1.5%	302	1.5%
Navy			115	.6%	115	.6%
Dept. of Veterans Affairs			503	2.4%	503	2.4%
Federal Bureau of Prisons/DOJ			45	.2%	45	.2%
Federal Public Health Service			81	.4%	81	.4%
Indian Health Service			80	.4%	80	.4%
Other federal government			78	.4%	78	.4%
State government			431	2.1%	431	2.1%
Local government			235	1.1%	235	1.1%
Coast Guard			20	.1%	20	.1%

Table 3.4: Number and Percent Distribution of Clinically Practicing Respondents by Primary Work Setting

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20729	100.0%	20796	100.0%
Intensive/critical care unit of hospital	2	3.0%	390	1.9%	392	1.9%
Inpatient unit of hospital (not ICU/CCU)	3	4.5%	1862	9.0%	1865	9.0%
Outpatient unit of hospital	3	4.5%	1604	7.7%	1607	7.7%
Hospital emergency room	14	20.9%	2033	9.8%	2047	9.8%
Hospital operating room	8	11.9%	1435	6.9%	1443	6.9%
Other unit of hospital	1	1.5%	252	1.2%	253	1.2%
Federally Qualified Rural Health Center			905	4.4%	905	4.4%
Other FQHC			335	1.6%	335	1.6%
Other community health center/facility			476	2.3%	476	2.3%
Freestanding urgent care facility	3	4.5%	595	2.9%	598	2.9%
Freestanding surgical facility	1	1.5%	114	.5%	115	.6%
Solo practice physician office	7	10.4%	2768	13.4%	2775	13.3%
Single-specialty physician group practice	15	22.4%	4173	20.1%	4188	20.1%
Multi-specialty physician group practice	5	7.5%	1869	9.0%	1874	9.0%
HMO facility			398	1.9%	398	1.9%
Nursing home or LTC facility	1	1.5%	178	.9%	179	.9%
University/college student health facility			137	.7%	137	.7%
School-based health facility	3	4.5%	77	.4%	80	.4%
Other freestanding outpatient facility			462	2.2%	462	2.2%
Correctional facility			255	1.2%	255	1.2%
Industrial facility/work site	1	1.5%	120	.6%	121	.6%
Mobile health unit			20	.1%	20	.1%
Patients' homes			17	.1%	17	.1%
Other			254	1.2%	254	1.2%

Table 3.5: Number and Percent Distribution of Clinically Practicing Respondents by Types of Practice Settings where Time is Spent*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20757	100.0%	20824	100.0%
Intensive/critical care unit of hospital	12	17.9%	4223	20.3%	4235	20.3%
Inpatient unit of hospital (not ICU/CCU)	21	31.3%	6748	32.5%	6769	32.5%
Outpatient unit of hospital	11	16.4%	4292	20.7%	4303	20.7%
Hospital emergency room	26	38.8%	5963	28.7%	5989	28.8%
Hospital operating room	17	25.4%	4386	21.1%	4403	21.1%
Other unit of hospital	7	10.4%	1794	8.6%	1801	8.6%
Federally Qualified Rural Health Center			1189	5.7%	1189	5.7%
Other FQHC			471	2.3%	471	2.3%
Other community health center/facility	1	1.5%	758	3.7%	759	3.6%
Freestanding urgent care facility	4	6.0%	1092	5.3%	1096	5.3%
Freestanding surgical facility	6	9.0%	913	4.4%	919	4.4%
Solo practice physician office	8	11.9%	3371	16.2%	3379	16.2%
Single-specialty physician group practice	18	26.9%	5483	26.4%	5501	26.4%
Multi-specialty physician group practice	7	10.4%	2587	12.5%	2594	12.5%
HMO facility			590	2.8%	590	2.8%
Nursing home or LTC facility	5	7.5%	1333	6.4%	1338	6.4%
University/college student health facility	1	1.5%	283	1.4%	284	1.4%
School-based health facility	3	4.5%	191	.9%	194	.9%
Other freestanding outpatient facility	2	3.0%	745	3.6%	747	3.6%
Correctional facility			397	1.9%	397	1.9%
Industrial facility/work site	2	3.0%	233	1.1%	235	1.1%
Mobile health unit	1	1.5%	99	.5%	100	.5%
Patients' homes			446	2.1%	446	2.1%
Other			508	2.4%	508	2.4%

*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Table 3.6: Number and Percent Distribution of Clinically Practicing Respondents by General Specialty Practiced for Primary Employer

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	65	100.0%	20485	100.0%	20550	100.0%
Family/general medicine	12	18.5%	6040	29.5%	6052	29.5%
General internal medicine	4	6.2%	1603	7.8%	1607	7.8%
Emergency medicine	13	20.0%	2018	9.9%	2031	9.9%
General pediatrics	1	1.5%	522	2.5%	523	2.5%
General surgery	6	9.2%	575	2.8%	581	2.8%
Internal medicine subspecialties	4	6.2%	2000	9.8%	2004	9.8%
Pediatric subspecialties	6	9.2%	303	1.5%	309	1.5%
Surgical subspecialties	12	18.5%	4315	21.1%	4327	21.1%
Obstetrics and gynecology			534	2.6%	534	2.6%
Industrial/occupational medicine	5	7.7%	490	2.4%	495	2.4%
Other	2	3.1%	2085	10.2%	2087	10.2%

Table 3.7: Number and Percent Distribution of Clinically Practicing Respondents by Specialty Practiced for Primary Employer

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	65	100.0%	20485	100.0%	20550	100.0%
Addiction medicine			89	.4%	89	.4%
Allergy			117	.6%	117	.6%
Anesthesiology			45	.2%	45	.2%
Dermatology	2	3.1%	623	3.0%	625	3.0%
Emergency medicine	13	20.0%	2018	9.9%	2031	9.9%
Family practice w/o urgent care	8	12.3%	2362	11.5%	2370	11.5%
Family practice wt urgent care	4	6.2%	3678	18.0%	3682	17.9%
Genetics			4	.0%	4	.0%
Geriatrics			162	.8%	162	.8%
Obstetrics/gynecology			534	2.6%	534	2.6%
Occupational medicine	5	7.7%	490	2.4%	495	2.4%
Ophthalmology			23	.1%	23	.1%
Pain management			180	.9%	180	.9%
Pathology			6	.0%	6	.0%
Physical med rehab			155	.8%	155	.8%
Psychiatry			200	1.0%	200	1.0%
Public health			27	.1%	27	.1%
Radiation oncology			45	.2%	45	.2%
Radiology			128	.6%	128	.6%
General surgery	6	9.2%	575	2.8%	581	2.8%
Surg: cardiovascular/cardiothoracic	2	3.1%	713	3.5%	715	3.5%
Surg: colon & rectal			17	.1%	17	.1%
Surg: hand			53	.3%	53	.3%
Surg: neurology			434	2.1%	434	2.1%
Surg: oncology			56	.3%	56	.3%
Surg: orthopedics	9	13.8%	2020	9.9%	2029	9.9%
Surg: otorhinolaryngology			169	.8%	169	.8%
Surg: pediatric			28	.1%	28	.1%
Surg: plastic	1	1.5%	145	.7%	146	.7%
Surg: thoracic			34	.2%	34	.2%
Surg: transplant			42	.2%	42	.2%
Surg: trauma			83	.4%	83	.4%
Surg: urology			251	1.2%	251	1.2%
Surg: vascular			134	.7%	134	.7%
Surg: other			136	.7%	136	.7%
General pediatrics	1	1.5%	522	2.5%	523	2.5%
Ped: adolescent medicine	3	4.6%	61	.3%	64	.3%
Ped: allergy			10	.0%	10	.0%
Ped: cardiology	1	1.5%	17	.1%	18	.1%
Ped: critical care			19	.1%	19	.1%
Ped: endocrinology			6	.0%	6	.0%
Ped: gastroenterology			11	.1%	11	.1%
Ped: hematology/oncology			32	.2%	32	.2%
Ped: infectious disease			6	.0%	6	.0%
Ped: neonatal-perinatal			66	.3%	66	.3%
Ped: nephrology			4	.0%	4	.0%
Ped: neurology	1	1.5%	11	.1%	12	.1%
Ped: pulmonology			7	.0%	7	.0%
Ped: other	1	1.5%	53	.3%	54	.3%
General internal medicine	4	6.2%	1603	7.8%	1607	7.8%
IM: cardiology	1	1.5%	684	3.3%	685	3.3%
IM: critical care			55	.3%	55	.3%
IM: endocrinology			79	.4%	79	.4%
IM: gastroenterology	1	1.5%	336	1.6%	337	1.6%
IM: hematology/oncology			288	1.4%	288	1.4%
IM: immunology			5	.0%	5	.0%
IM: infectious disease			125	.6%	125	.6%
IM: nephrology			109	.5%	109	.5%
IM: neurology	1	1.5%	90	.4%	91	.4%
IM: pulmonology			71	.3%	71	.3%
IM: rheumatology			73	.4%	73	.4%
IM: other	1	1.5%	85	.4%	86	.4%
Other			281	1.4%	281	1.4%

Table 3.8: Summary Measures of Years in Clinical Practice as PA for Clinically Practicing Respondents

	Delaware	All Others	Total
Respondents	67	20742	20809
Mean	8.5	9.2	9.2
Standard deviation	8.1	8.6	8.6
10th percentile	.0	.0	.0
25th percentile	2.0	3.0	3.0
Median	6.0	6.0	6.0
75th percentile	13.0	14.0	14.0
90th percentile	22.2	24.0	24.0

Table 3.9: Summary Measures of Years in Current Position for Clinically Practicing Respondents

	Delaware	All Others	Total
Respondents	65	19691	19756
Mean	4.5	5.0	5.0
Standard deviation	5.7	5.7	5.7
10th percentile	.0	.0	.0
25th percentile	1.0	1.0	1.0
Median	3.0	3.0	3.0
75th percentile	5.0	7.0	7.0
90th percentile	11.0	13.0	13.0

Table 3.10: Summary Measures of Years in Current Specialty for Clinically Practicing Respondents

	Delaware	All Others	Total
Respondents	67	20573	20640
Mean	6.5	6.4	6.4
Standard deviation	7.5	7.0	7.0
10th percentile	.0	.0	.0
25th percentile	2.0	1.0	1.0
Median	4.0	4.0	4.0
75th percentile	9.0	9.0	9.0
90th percentile	18.0	17.0	17.0

Table 3.11: Number and Percent Distribution of Clinically Practicing Respondents by AAPA Region in Which Employed

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	66	100.0%	20246	100.0%	20312	100.0%
Northeast	66	100.0%	4785	23.6%	4851	23.9%
Southeast			4707	23.2%	4707	23.2%
North Central			4125	20.4%	4125	20.3%
South Central			2784	13.8%	2784	13.7%
West			3845	19.0%	3845	18.9%

Table 3.12: Number and Percent Distribution of Clinically Practicing Respondents by State/Geographic Location in Which Employed

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	66	100.0%	20246	100.0%	20312	100.0%
Alaska			130	.6%	130	.6%
Alabama			102	.5%	102	.5%
Arkansas			27	.1%	27	.1%
Arizona			455	2.2%	455	2.2%
California			1684	8.3%	1684	8.3%
Colorado			586	2.9%	586	2.9%
Connecticut			431	2.1%	431	2.1%
District Of Columbia			73	.4%	73	.4%
Delaware	66	100.0%			66	.3%
Florida			1088	5.4%	1088	5.4%
Georgia			616	3.0%	616	3.0%
Guam			5	.0%	5	.0%
Hawaii			52	.3%	52	.3%
Iowa			324	1.6%	324	1.6%
Idaho			131	.6%	131	.6%
Illinois			539	2.7%	539	2.7%
Indiana			187	.9%	187	.9%
Kansas			267	1.3%	267	1.3%
Kentucky			251	1.2%	251	1.2%
Louisiana			139	.7%	139	.7%
Massachusetts			445	2.2%	445	2.2%
Maryland			487	2.4%	487	2.4%
Maine			207	1.0%	207	1.0%
Michigan			932	4.6%	932	4.6%
Minnesota			379	1.9%	379	1.9%
Missouri			186	.9%	186	.9%
Mississippi			37	.2%	37	.2%
Montana			133	.7%	133	.7%
North Carolina			1049	5.2%	1049	5.2%
North Dakota			88	.4%	88	.4%
Nebraska			274	1.4%	274	1.3%
New Hampshire			136	.7%	136	.7%
New Jersey			273	1.3%	273	1.3%
New Mexico			145	.7%	145	.7%
Nevada			135	.7%	135	.7%
New York			1970	9.7%	1970	9.7%
Ohio			490	2.4%	490	2.4%
Oklahoma			319	1.6%	319	1.6%
Oregon			258	1.3%	258	1.3%
Pennsylvania			1162	5.7%	1162	5.7%
Rhode Island			84	.4%	84	.4%
South Carolina			187	.9%	187	.9%
South Dakota			152	.8%	152	.7%
Tennessee			282	1.4%	282	1.4%
Texas			1264	6.2%	1264	6.2%
Utah			205	1.0%	205	1.0%
Virginia			390	1.9%	390	1.9%
Vermont			77	.4%	77	.4%
Washington			580	2.9%	580	2.9%
Wisconsin			574	2.8%	574	2.8%
West Virginia			182	.9%	182	.9%
Wyoming			77	.4%	77	.4%

Table 3.13: Number and Percent Distribution of Clinically Practicing Respondents by Metropolitan Status of Primary Practice Site

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	66	100.0%	20048	100.0%	20114	100.0%
Not metro	10	15.2%	3780	18.9%	3790	18.8%
Metro	56	84.8%	16268	81.1%	16324	81.2%

Table 3.14: Number and Percent Distribution of Clinically Practicing Respondents Who Perform Select Functions at Primary Clinical Job*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20768	100.0%	20835	100.0%
Function as hospitalist	2	3.0%	1315	6.3%	1317	6.3%
Perform invasive procedures	28	41.8%	8671	41.8%	8699	41.8%
Assist at surgery	21	31.3%	5506	26.5%	5527	26.5%
Manage care for inpatients	22	32.8%	7360	35.4%	7382	35.4%
Perform quality assurance	7	10.4%	4165	20.1%	4172	20.0%
Educate other providers	21	31.3%	6689	32.2%	6710	32.2%
Utilization review	3	4.5%	1227	5.9%	1230	5.9%
Research	8	11.9%	2185	10.5%	2193	10.5%
Pharmaceutical selection committee			471	2.3%	471	2.3%
Therapeutics committee			444	2.1%	444	2.1%
Make decisions about procurement	16	23.9%	4424	21.3%	4440	21.3%
Supervise other PAs	4	6.0%	1811	8.7%	1815	8.7%
Supervise clinical staff other than PAs	12	17.9%	4051	19.5%	4063	19.5%
Supervise non-clinical staff	6	9.0%	1909	9.2%	1915	9.2%
Precept PA students	23	34.3%	7615	36.7%	7638	36.7%
Precept students of other health professions	18	26.9%	5191	25.0%	5209	25.0%

*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Table 3.15: Number and Percent Distribution of Clinically Practicing Respondents by Hours Worked per Week at Primary Clinical Job

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	67	100.0%	20789	100.0%	20856	100.0%
32 or more hours	60	89.6%	17986	86.5%	18046	86.5%
Less than 32 hours	7	10.4%	2737	13.2%	2744	13.2%
Hours not reported			66	.3%	66	.3%

Section IV: Information about Respondents Who Work at Least 32 Hours per Week at Their Primary Clinical Job

Table 4.1: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Patients Treated*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	43	100.0%	12580	100.0%	12623	100.0%
See some inpatients	11	25.6%	4142	32.9%	4153	32.9%
See some outpatients	41	95.3%	11450	91.0%	11491	91.0%
See some nursing home patients	3	7.0%	729	5.8%	732	5.8%
See some other patients**			470	3.7%	470	3.7%

*Data represent only respondents who reported complete information about both hours and visits for all patient types. Percentages sum to more than 100 because respondents may see multiple types of patients.

**Other patients are those who were not classified as either outpatients, inpatients, or nursing home patients.

Table 4.2: Summary Measures of Total Hours Worked per Week for Primary Clinical Employer by Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job

	Delaware	All Others	Total
Respondents	60	17986	18046
Mean	44.5	44.4	44.4
Standard deviation	7.3	8.0	8.0
10th percentile	36.0	36.0	36.0
25th percentile	40.0	40.0	40.0
Median	45.0	42.0	42.0
75th percentile	50.0	50.0	50.0
90th percentile	55.0	55.0	55.0

Table 4.3: Summary Measures of Hours Providing Direct Inpatient Care per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job*

	Delaware	All Others	Total
Respondents	2	730	732
Mean	47.5	43.6	43.6
Standard deviation	3.5	7.7	7.7
10th percentile	45.0	35.0	35.0
25th percentile	45.0	40.0	40.0
Median	47.5	40.0	40.0
75th percentile	.	49.3	49.8
90th percentile	.	54.9	54.7

*Excludes time spent performing tasks other than providing direct patient care to inpatients.

Table 4.4: Summary Measures of Inpatient Encounters per Week for Respondents Who See Inpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job

	Delaware	All Others	Total
Respondents	2	730	732
Mean	42.5	61.9	61.8
Standard deviation	24.7	43.1	43.1
10th percentile	25.0	16.0	16.0
25th percentile	25.0	30.0	30.0
Median	42.5	50.0	50.0
75th percentile	.	80.0	80.0
90th percentile	.	109.5	108.5

Table 4.5: Summary Measures of Hours Providing Direct Outpatient Care per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job*

	Delaware	All Others	Total
Respondents	25	6322	6347
Mean	38.3	39.3	39.3
Standard deviation	4.2	5.6	5.6
10th percentile	33.2	34.0	34.0
25th percentile	35.0	35.0	35.0
Median	38.0	40.0	40.0
75th percentile	40.0	40.0	40.0
90th percentile	45.0	45.0	45.0

*Excludes time spent performing tasks other than providing direct patient care to outpatients.

Table 4.6: Summary Measures of Outpatient Visits per Week for Respondents Who See Outpatients Exclusively for a Minimum of 32 Hours per Week at Primary Clinical Job

	Delaware	All Others	Total
Respondents	25	6322	6347
Mean	94.1	96.0	96.0
Standard deviation	34.9	39.2	39.2
10th percentile	40.8	50.0	50.0
25th percentile	70.0	70.0	70.0
Median	100.0	100.0	100.0
75th percentile	122.5	115.0	115.0
90th percentile	144.0	149.4	148.4

Table 4.7: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA Sees Patients

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	57	100.0%	16512	100.0%	16569	100.0%
None	17	29.8%	5995	36.3%	6012	36.3%
One	22	38.6%	7150	43.3%	7172	43.3%
Two	13	22.8%	1934	11.7%	1947	11.8%
Three	4	7.0%	835	5.1%	839	5.1%
Greater than three	1	1.8%	598	3.6%	599	3.6%

Table 4.8: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and See Some Hospital Patients by Number of Hospitals with Privileges Granted by Medical Staff

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	40	100.0%	10453	100.0%	10493	100.0%
None			220	2.1%	220	2.1%
One	21	52.5%	6684	63.9%	6705	63.9%
Two	13	32.5%	2003	19.2%	2016	19.2%
Three	5	12.5%	887	8.5%	892	8.5%
Greater than three	1	2.5%	659	6.3%	660	6.3%

Table 4.9: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Medical Staff

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	39	100.0%	10250	100.0%	10289	100.0%
None	12	30.8%	5607	54.7%	5619	54.6%
One	16	41.0%	3385	33.0%	3401	33.1%
Two	9	23.1%	734	7.2%	743	7.2%
Three	2	5.1%	306	3.0%	308	3.0%
Greater than three			218	2.1%	218	2.1%

Table 4.10: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of PA Staff

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	39	100.0%	10250	100.0%	10289	100.0%
None	23	59.0%	5914	57.7%	5937	57.7%
One	11	28.2%	3412	33.3%	3423	33.3%
Two	4	10.3%	585	5.7%	589	5.7%
Three	1	2.6%	205	2.0%	206	2.0%
Greater than three			134	1.3%	134	1.3%

Table 4.11: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Allied Health Staff

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	39	100.0%	10250	100.0%	10289	100.0%
None	27	69.2%	6098	59.5%	6125	59.5%
One	7	17.9%	2543	24.8%	2550	24.8%
Two	2	5.1%	870	8.5%	872	8.5%
Three	2	5.1%	401	3.9%	403	3.9%
Greater than three	1	2.6%	338	3.3%	339	3.3%

Table 4.12: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Number of Hospitals in which PA is Member of Other Staff Category

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	39	100.0%	10250	100.0%	10289	100.0%
None	39	100.0%	9813	95.7%	9852	95.8%
One			339	3.3%	339	3.3%
Two			48	.5%	48	.5%
Three			23	.2%	23	.2%
Greater than three			27	.3%	27	.3%

Table 4.13: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Responsibility for Call

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	60	100.0%	17986	100.0%	18046	100.0%
Do not take call	34	56.7%	10932	60.8%	10966	60.8%
Take some call	26	43.3%	5913	32.9%	5939	32.9%
Take call, hours unknown			151	.8%	151	.8%
Always on call			990	5.5%	990	5.5%

Table 4.14 Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Call Taken*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	60	100.0%	17986	100.0%	18046	100.0%
Do not take call	34	56.7%	10932	60.8%	10966	60.8%
Emergency department call	6	10.0%	1669	9.3%	1675	9.3%
Surgical call	11	18.3%	2117	11.8%	2128	11.8%
In-house call	5	8.3%	2011	11.2%	2016	11.2%
Other type of call	11	18.3%	3606	20.0%	3617	20.0%
Call taken, type not indicated			140	.8%	140	.8%

*Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Table 4.15: Summary Measures of Call Hours per Month for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job*

	Delaware	All Others	Total
Respondents	26	5913	5939
Mean	74.0	99.0	98.8
Standard deviation	66.1	90.8	90.7
10th percentile	7.1	11.0	10.0
25th percentile	20.0	32.0	32.0
Median	53.0	72.0	72.0
75th percentile	142.5	140.0	140.0
90th percentile	165.0	216.0	216.0

*Includes only PAs who report taking call, but are not always on call.

Table 4.16: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Type of Base Pay Received*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	58	100.0%	15370	100.0%	15428	100.0%
No base pay			134	.9%	134	.9%
Salary	35	60.3%	12370	80.5%	12405	80.4%
Hourly wage	22	37.9%	2758	17.9%	2780	18.0%
Other	1	1.7%	108	.7%	109	.7%

*Excludes self-employed PAs.

Table 4.17: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Types of Additional Compensation Received*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	58	100.0%	14753	100.0%	14811	100.0%
No additional pay	16	27.6%	4601	31.2%	4617	31.2%
Surgical assisting fees			321	2.2%	321	2.2%
Overtime pay	20	34.5%	2627	17.8%	2647	17.9%
Administrative pay	1	1.7%	391	2.7%	392	2.6%
Pay for on-call availability	9	15.5%	1217	8.2%	1226	8.3%
Pay for on-call services/events	10	17.2%	1197	8.1%	1207	8.1%
Bonus not based on performance	12	20.7%	2569	17.4%	2581	17.4%
Bonus based on performance of practice	6	10.3%	1922	13.0%	1928	13.0%
Bonus based on performance of PA	11	19.0%	3568	24.2%	3579	24.2%
Bonus based on something else	3	5.2%	1095	7.4%	1098	7.4%

*Excludes self-employed PAs. Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Table 4.18: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive Incentive Pay Based on Productivity or Performance by Measures on Which Incentive is Based*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	11	100.0%	4412	100.0%	4423	100.0%
Bonus based on charges	1	9.1%	917	20.8%	918	20.8%
Bonus based on revenues	8	72.7%	2014	45.6%	2022	45.7%
Bonus based on relative value units	1	9.1%	521	11.8%	522	11.8%
Bonus based on profit	1	9.1%	1088	24.7%	1089	24.6%
Bonus based on number of visits or panel size	2	18.2%	783	17.7%	785	17.7%
Bonus based on quality of care	1	9.1%	603	13.7%	604	13.7%
Bonus based on patient satisfaction			599	13.6%	599	13.5%
Bonus based on other factors	1	9.1%	354	8.0%	355	8.0%

*Excludes self-employed PAs. Percentages sum to more than 100 because respondents were instructed to mark all that apply.

Table 4.19: Summary Measures of Total Annual Income from Primary Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job*

	Delaware	All Others	Total
Respondents	59	15518	15577
Mean	\$80,188	\$78,250	\$78,257
Standard deviation	\$21,237	\$20,194	\$20,198
10th percentile	\$60,464	\$57,808	\$57,823
25th percentile	\$64,634	\$64,728	\$64,727
Median	\$77,223	\$74,260	\$74,264
75th percentile	\$91,477	\$87,093	\$87,113
90th percentile	\$115,584	\$103,599	\$103,614

*Excludes self-employed PAs.

Table 4.20: Summary Measures of Total Annual Income from Primary Employer for Respondents Who Graduated in 2003 and Work at Least 32 Hours per Week at Primary Clinical Job*

	Delaware	All Others	Total
Respondents	11	1752	1763
Mean	\$64,272	\$65,649	\$65,641
Standard deviation	\$10,830	\$11,871	\$11,862
10th percentile	\$50,319	\$52,618	\$52,626
25th percentile	\$57,012	\$58,821	\$58,813
Median	\$62,576	\$64,541	\$64,536
75th percentile	\$65,749	\$71,372	\$71,360
90th percentile	\$84,879	\$79,586	\$79,598

*Excludes self-employed PAs.

Table 4.21: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Whether CME Funds Are Available from Primary Employer*

	Delaware		All Others		Total	
	Count	Percent	Count	Percent	Count	Percent
Respondents	44	100.0%	12203	100.0%	12247	100.0%
Funds not available	2	4.5%	1518	12.4%	1520	12.4%
Funds available, amount known	34	77.3%	8443	69.2%	8477	69.2%
Funds available, amount unknown	8	18.2%	2242	18.4%	2250	18.4%

*Excludes self-employed PAs.

Table 4.22: Summary Measures of CME Funds Provided by Primary Clinical Employer for Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job and Receive CME Funding*

	Delaware	All Others	Total
Respondents	34	8443	8477
Mean	\$1,934	\$1,558	\$1,559
Standard deviation	\$990	\$789	\$791
10th percentile	\$625	\$500	\$500
25th percentile	\$1,500	\$1,000	\$1,000
Median	\$1,600	\$1,500	\$1,500
75th percentile	\$2,500	\$2,000	\$2,000
90th percentile	\$3,000	\$2,500	\$2,500

*Excludes self-employed PAs.

Table 4.23: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Source of Funds for Types of Insurance*

		Delaware		All Others		Total	
		Count	Percent	Count	Percent	Count	Percent
Respondents		57	100.0%	14880	100.0%	14937	100.0%
Professional liability insurance	Employer pays 95-100%	54	94.7%	14506	97.5%	14560	97.5%
	Employer pays 50-94%	1	1.8%	96	.6%	97	.6%
	Employer pays 1-49%			18	.1%	18	.1%
	PA pays 100%	2	3.5%	260	1.7%	262	1.8%
Individual health insurance	Employer pays 95-100%	30	53.6%	7006	50.4%	7036	50.5%
	Employer pays 50-94%	19	33.9%	4831	34.8%	4850	34.8%
	Employer pays 1-49%	2	3.6%	884	6.4%	886	6.4%
	PA pays 100%	5	8.9%	1168	8.4%	1173	8.4%
Family health insurance	Employer pays 95-100%	15	37.5%	2823	26.8%	2838	26.9%
	Employer pays 50-94%	14	35.0%	3651	34.7%	3665	34.7%
	Employer pays 1-49%	2	5.0%	1068	10.2%	1070	10.1%
	PA pays 100%	9	22.5%	2973	28.3%	2982	28.3%
Dental insurance	Employer pays 95-100%	17	31.5%	4151	31.6%	4168	31.6%
	Employer pays 50-94%	20	37.0%	4010	30.5%	4030	30.5%
	Employer pays 1-49%	2	3.7%	1171	8.9%	1173	8.9%
	PA pays 100%	15	27.8%	3816	29.0%	3831	29.0%
Disability insurance	Employer pays 95-100%	24	45.3%	5759	44.5%	5783	44.5%
	Employer pays 50-94%	9	17.0%	2191	16.9%	2200	16.9%
	Employer pays 1-49%	3	5.7%	969	7.5%	972	7.5%
	PA pays 100%	17	32.1%	4016	31.0%	4033	31.1%
Term life insurance	Employer pays 95-100%	19	38.0%	5061	41.5%	5080	41.4%
	Employer pays 50-94%	8	16.0%	1725	14.1%	1733	14.1%
	Employer pays 1-49%	3	6.0%	1054	8.6%	1057	8.6%
	PA pays 100%	20	40.0%	4367	35.8%	4387	35.8%

*Excludes self-employed PAs.

Table 4.24: Number and Percent Distribution of Respondents Who Work at Least 32 Hours per Week at Primary Clinical Job by Source of Funds for Select Expenses*

		Delaware		All Others		Total	
		Count	Percent	Count	Percent	Count	Percent
Respondents		53	100.0%	13568	100.0%	13621	100.0%
Pension/retirement fund	Employer pays 95-100%	17	32.1%	3426	25.3%	3443	25.3%
	Employer pays 50-94%	8	15.1%	2805	20.7%	2813	20.7%
	Employer pays 1-49%	21	39.6%	4783	35.3%	4804	35.3%
	PA pays 100%	7	13.2%	2554	18.8%	2561	18.8%
State license fees	Employer pays 95-100%	49	89.1%	10214	70.8%	10263	70.9%
	Employer pays 50-94%			216	1.5%	216	1.5%
	Employer pays 1-49%			99	.7%	99	.7%
	PA pays 100%	6	10.9%	3898	27.0%	3904	27.0%
DEA registration fees	Employer pays 95-100%	45	88.2%	8890	74.7%	8935	74.7%
	Employer pays 50-94%			119	1.0%	119	1.0%
	Employer pays 1-49%			60	.5%	60	.5%
	PA pays 100%	6	11.8%	2834	23.8%	2840	23.8%
NCCPA fees	Employer pays 95-100%	43	78.2%	9032	63.0%	9075	63.1%
	Employer pays 50-94%	2	3.6%	199	1.4%	201	1.4%
	Employer pays 1-49%			114	.8%	114	.8%
	PA pays 100%	10	18.2%	4989	34.8%	4999	34.7%
AAPA dues	Employer pays 95-100%	42	76.4%	8968	63.1%	9010	63.1%
	Employer pays 50-94%	1	1.8%	186	1.3%	187	1.3%
	Employer pays 1-49%			119	.8%	119	.8%
	PA pays 100%	12	21.8%	4942	34.8%	4954	34.7%
State PA chapter dues	Employer pays 95-100%	34	68.0%	7351	55.9%	7385	56.0%
	Employer pays 50-94%	1	2.0%	192	1.5%	193	1.5%
	Employer pays 1-49%			114	.9%	114	.9%
	PA pays 100%	15	30.0%	5484	41.7%	5499	41.7%
AAPA annual conference registration fees	Employer pays 95-100%	36	72.0%	7439	57.5%	7475	57.6%
	Employer pays 50-94%	4	8.0%	976	7.5%	980	7.6%
	Employer pays 1-49%	3	6.0%	562	4.3%	565	4.4%
	PA pays 100%	7	14.0%	3951	30.6%	3958	30.5%
Credentialing fees	Employer pays 95-100%	47	87.0%	10081	73.1%	10128	73.2%
	Employer pays 50-94%	2	3.7%	317	2.3%	319	2.3%
	Employer pays 1-49%			165	1.2%	165	1.2%
	PA pays 100%	5	9.3%	3224	23.4%	3229	23.3%

*Excludes self-employed PAs.