

Evaluation of Anemia in Hospitalized Patients

Andrew Herber, PA-C
Assistant Professor of Medicine
Mayo College of Medicine
Division of Hospital Medicine

No disclosures

First a refresher on the basics...

Definition

According to the World Health Organization anemia is defined as a hemoglobin level of less than 13 g/dL in men and less than 12 g/dL in women.

Symptom not a disease

HEMOGLOBIN

13.5g/dl-16.0g/dl

HIGH

- -Hypoxia (Smoking, OSA, Lung Dx, High Altitude, CO)
- -Dehydration
- -Polycythemia Vera (JAK2V617F)
- -EPO producing tumors (Liver, Renal, Hemangioblastoma, Pheo, Uterine)

LOW

- -Nutritional Deficiency (Iron, B12, Folate)
- -Blood Loss (Trauma, GI Tract, Hematoma)
- -Hemodilution
- -Hemolysis
- -Renal Failure
- -Chronic Disease

Evaluation

Vital signs
Reticulocyte Count
MCV
A Few Lab Geek Secrets

Vital Signs

Blood Pressure
Heart Rate
Oxygen saturation
Respiratory Rate

Reticulocytes

Reticulocytes (% corrected) = Reticulocytes x (HCT /45)

RPI = Reticulocytes (%corrected) /Correction Factor

Correction Factor

HCT 40-45 = 1

HCT 35-39 = 1.5

HCT 25-34 = 2

HCT 15-24 = 2.5


HCT < 15 = 3

RPI > 2.0

Acute Blood Loss
Hemolytic Anemia
Response to Therapy (5-7days)

But what if RPI <2.0???

Evaluation of anemia in the adult according to the mean corpuscular volume



CBC: complete blood count; MCV: mean corpuscular volume; RBCs: red blood cells; Fe: iron; TIBC: total iron-binding capacity (transferrin); LDH: lactate dehydrogenase.

Patients don't always read the books...

CENSUS

Mrs. Salty Mr. Weakness **Mister Carwash** Mrs. Red Mrs. Organic Mrs. Carrot Mrs. Pale

Mrs. Salty

PMHCoronary Artery Disease

PSH:
Cataract Removal

SOCIAL HISTORY:

Single. Nonsmoker. No alcohol.

MEDS:

Aspirin 325mg daily.

ROS:

Nausea. Vomit x 1. Friends all have the "GI Bug"

****Vomited x1 this morning. "Kinda dark colored" Came to ER. ****

Lab	Physical 3 months ago	ER Labs
Hemoglobin	13.3	6.8
Platelets	296	151
Sodium	138	146
Chloride	100	119
Potassium	4.8	3.1
Creatinine	1.0	0.9
BUN	20	16

****Vital signs stable. No current complaints****

Lab	Physical 3 months ago	ER Lab	Floor Lab
Hemoglobin	13.3	6.1	14.6
Platelets	296	171	111
Sodium	138	146	140
Chloride	100	119	101
Potassium	4.8	3.1	5.1
Creatinine	1.0	0.9	1.1
BUN	20	16	21

Mr. Weakness

<u>PMH</u>

Hypertension Chronic Kidney Disease Osteoarthritis

SOCIAL HISTORY:

Married. Neversmoker. No ETOH.

MEDS:

Metoprolol, ASA, Simvastatin

ROS:

Progressive weakness, GERD, Joint Pain

PSH:

None.

LABS

Lab	Admission	Day 2	Day 3
Hemoglobin	9.8 (Baseline 10)	8.4	7.8
MCV	87	88	91
Platelets	206	259	214
Sodium	141	138	140
Potassium	4.8	5.2	5.2
Bicarbonate	20	21	23
Creatinine	1.4 (Baseline 1.5)	1.5	1.5
BUN	28	35	42
AST	52	-	-
ALT	55	-	-
UA	Negative	-	-
TSH	1.8	-	-

Your review of vitals...

Normal saline running 100cc/hr since admission

Weight is up 3kg

Fluid balance is +2.7L

LABS

Lab	Admission	Day 2	Day 3
Hemoglobin	9.8 (Baseline 10)	8.4	7.8
MCV	87	88	91
Platelets	206	259	214
Sodium	141	138	140
Potassium	4.8	5.2	5.2
Bicarbonate	20	21	23
Creatinine	1.4 (Baseline 1.5)	1.5	1.5
BUN	28	35	42
AST	52	-	-
ALT	55	-	-
UA	Negative	-	-
TSH	1.8	-	-

BLOOD UREA NITROGEN 6-21mmol/L

AZOTEMIA

- -Dehydration
- -Rapid protein catabolism
- -CHF
- -Shock
- -MI
- -High protein diet
- -Anabolic effect of systemic corticosteroids

LOW

- -Liver failure
- -Malnutrition
- -Nephrotic syndrome

Transfuse?

Transfusion Strategies for Acute Upper Gastrointestinal Bleeding

Villanueva, MD et. al.

The New England Journal of Medicine, 2013

Liberal or Restrictive Transfusion in High Risk Patients after Hip Surgery

Jeffrey Carson, MD et al

The New England Journal of Medicine, 2011

Lower versus Higher Hemoglobin Threshold for Transfusion in Septic Shock

The New England Journal of Medicine , 2014

Transfuse?

Impact of More Restrictive Blood Transfusion Strategies on Clinical Outcomes: A Meta-analysis of Systematic Review
Salpeter, MD et al
The American Journal of Medicine

Restrictive versus liberal transfusion strategy for red blood cell transfusions: systematic review of randomized trials with meta-analysis and trial sequence analysis

Holst, et al BMJ 2015

Outcomes Using Lower vs Higher Hemoglobin Thresholds for Red Blood Cell Transfusion

Carson, MD et al

Journal of American Medical Association 2013

Red Blood Cell Transfusion: A Clinical Practice Guideline From the AABB

Carson, MD et al

Annuals of Internal Medicine, 2012

Coronary Artery Disease?

Liberal versus restrictive transfusion thresholds for patients with symptomatic coronary artery disease

American Heart Journal, 2013

Mrs. Red

PMH None. PSH: None.

SOCIAL HISTORY:

Married. Beet farmer. Neversmoker. No alcohol.

MEDS:

Aspirin 325mg daily.

ROS:

Tired. Red urine. Weight loss.

LABS

Lab	Result
Hemoglobin	8.4
MCV	74
WBC	7000
Platelets	116,000
Sodium	136
Potassium	4.6
Glucose	133
Bicarbonate	19
Creatinine	0.9
BUN	19

What else causes microcytic anemia?

Microcytic Anemia

```
* Iron Deficiency
    * Thalassemia
  * Chronic Disease
   * Lead Poisoning
* Sideroblastic Anemia
 *Aluminum Toxicity
 *Copper Deficiency
   *Zinc Poisoning
```

Work Up:

```
*Serum Iron
```

*TIBC

*Ferritin

*RDW

*Peripheral Smear

LAB	Iron Deficiency Anemia	Anemia of Chronic Disease
Iron		
TIBC		
Ferritin		

Cause of IDA?

Acute Blood Loss
Decreased dietary intake
Impaired absorption
Increased Requirements

Mrs. Carrot

PMH

St. Jude Aortic Valve OSA Atrial Fibrillation HTN

PSH:

Right Total Hip Arthroplasty Aortic Valve Replacement

SOCIAL HISTORY:

Married. Neversmoker. No ETOH.

MEDS:

Warfarin, Metoprolol, HCTZ, and Melatonin

ROS:

Admitted from ER for weakness and dyspnea

LABS

Lab	On discharge from Cardiac Surgery	Admit Labs
Hemoglobin	12.7	9.6
MCV	87	88
Platelets	206	259
Sodium	141	138
Potassium	4.8	5.9
Bicarbonate	25	28
Creatinine	1.0	0.9
BUN	20	21
AST	79	251
ALT	86	
Bilirubin	1.2	3.8
INR	2.6	3.3

Lab	Discharge from CV Surgery	Admit Labs
Hemoglobin	12.7	9.6
MCV	87	88
Platelets	206	259
Sodium	141	138
Potassium	4.8	5.9
Bicarbonate	25	28
Creatinine	1.0	0.9
BUN	20	21
AST	79	251
ALT	86	
Bilirubin	1.2	3.8
INR	2.6	3.3
Haptoglobin		3
LDH		980
Peripheral Smear		Schistocytes, Helmet Cells

Hemolysis

Up

- Potassium
- AST
- LDH
- Bilirubin (Indirect)
- Reticulocytes

Down

- Hemoglobin
- Haptoglobin

BILIRUBIN

0.1-1.0mg/dL

- -Choledocholithiasis (most common)
- -Liver Disease
- -Hemolysis (Indirect)
- -Recent transfusion
- -Gram Negative Sepsis
- -TPN
- -Obstruction (Tumor, Mass, Stone)
- -Gilberts Disease

LDH 122-222U/L

- -Heart Disease (MI)
- -Tissue Infarction (Renal, Pulmonary)
- -Hemolysis
- -Liver Disease (Hepatitis, Cirrhosis, Cholangitis)
- -Malignancy (Lymphoma, Myeloma, Leukemia)

Present in liver, heart, kidney, RBC, WBC, Lungs, Platelets, skeletal muscle, prostate

Any cellular damage causes elevation

Haptoglobin

30-200mg/dL

Increased:

- -Inflammation
- -Infection
- -Malignancy
- -Surgery
- -Trauma
- -Corticosteroids

Decreased:

- -Hemolysis
- -Liver disease
- -Malnutrition
- -Estrogens
- -Pregnancy

Reticulocytes

0.5-2.0%

Elevated:

Hemolytic Anemia
Acute Blood Loss
Response to Therapy (5-7days)

Low or Normal:

All other forms of anemia

Coombs

Immune vs. Nonimmune?

- (+) Alloimmune, Autoimmune, Drug Induced
- (-) HS, G6PD, PNH, HUS, DIC, Mechanical, Infection

Mrs. Organic

PMH None. PSH:

SOCIAL HISTORY:

Married to a Hospitalist PA. 3 boys. (6 month old twins and 5 year old). Nonsmoker. No recent alcohol use because of nursing.

MEDS:

None.

ROS:

Dyspnea and fatigue.

LABS

Lab	
Hemoglobin	10.7
MCV	115
Platelets	206
Sodium	141
Potassium	4.6
Creatinine	1.0
BUN	20
AST	42
ALT	39
Bilirubin	1.2
TSH	1.0

Macrocytosis

- * **B12 Deficiency** (Pernicious Anemia, Surgical Resection of ileum, sprue, fish tapeworm, bacterial overgrowth, vegans)
- * Folate Deficiency (ETOH, Pregnancy, Medications)

- * Hypothyroidism
- * Drugs (AZT, MTX, Hydroxyurea, Bactrim, Valacyclovir, Triamterene, Phenytoin)
- * Liver disease
- * Myelodysplastic Syndromes
- * Reticulocytosis

B12 and Folate Pearls

- Higher the MCV, more likely the etiology
- Folate heavily influenced by diet *Fasting*
- RBC Folate?
- MMA and Homocysteine *Renal Disease*
- Low folate can falsely lower B12 (33% of time)
- Hypersegmented neutrophil
- Intrinsic Factor Antibody (70% Pernicious)

Mrs. Pale

PMH

Osteoporosis

PSH:

None.

SOCIAL HISTORY:

Married. Nonsmoker. Retired. Likes to knit hats.

MEDS:

Calcium and Vitamin D

ROS:

Frequent falls.

LABS

Lab	Admission	Day 2	Day 3	Day 4	Day 5
Hgb	13.0	12.3	11.7	11.1	10.4
MCV	87	88	91	91	91
Platelets	206	259	214	200	205
Sodium	141	138	140	138	142
Potassium	4.8	4.7	4.8	4.3	4.6
Creatinine	1.0	0.9	1.1	1.0	0.9
BUN	19	20	20	18	20
AST	52	50	51	58	54
ALT	55	48	44	46	49
Calcium	9.0	10.1	9.8	9.5	9.4
Albumin	4.0	3.9	4.2	4.4	3.8

Hospital Acquired Anemia

Do Blood Tests Cause Anemia in Hospitalized Patients?

Paaladinesh Thavendiranathan, MD, et al J GEN INTERN MED 2005; 20:520-524.

Hospital-Acquired Anemia: Prevalence, Outcomes, and Healthcare Implications

Colleen G. Koch et al Journal of Hospital Medicine September 2013 Volume 8

Hospital Acquired Anemia and in-hospital mortality in patients with acute myocardial infarction

Salisbury et al American Heart Journal, 2011

Causes

Procedural Blood Loss
Recurrent Phlebotomy
Impaired Erythropoiesis
Hemodilution

Effects

Increased in hospital mortality
Increased length of stay
Increased hospital charges

What can you do?

Daily labs? Do you really need them?

Microdraws

Stored serum

"Lets Run The List"

Mrs. Salty Mr. Weakness Mister Carwash Mrs. Red Mrs. Carrot Mrs. Organic Mrs. Pale

Questions?

Herber.Andrew@mayo.edu