Crafting Actionable Leadership Initiatives

Using OODA as a Systematic Framework for Professional Development in the Age of COVID-19 and Beyond Dr. Thomas Meersman DHSc, MMS, PA-C Assistant Professor North Central College 2021 AAPA Conference







The four steps of the OODA Loop decision making acronym are:

- A. Objectification, Omission, Deceleration, Admission
- B. Observation, Orientation, Decision, Action
- C. Open, Orient, Discuss, Accept
- D. Obtain, Optimize, Declare, Attempt
- E. None of the above

Which of the following statements accurately describes the use of OODA loops?

A. The Observation step of an OODA loop is largely comprised of placing existing data into a local context.

B. During the Optimize step of an OODA loop the most efficient problem-specific solution is determined.

C. The Action step of an OODA loop is largely comprised of the collection of data.

D. The Decision step of an OODA loop also involves the storage of non-germane, poorly actionable data for future analysis.

E. None of the above.









Rationale for OODA

(Wickramasinghe et al., 2009)

- Clinicians are constantly exposed to complex and unstructured situations:
 - · Involving multiple layers of data
 - Requiring rapid and accurate analysis

• Examples

- · Seasonal influenza
- COVID-19 Pandemic



Decision Tool: O-O-D-A or OODA loops (Enck, 2012, Liebler, 2017)





OODA Explained

1. Observation

٠

- Data collection
- <u>Outside inputs</u> historical and static features of subjects of interest
- <u>Inside inputs</u> dynamic, dependent on unfolding circumstances

2. Orientation

- Data analysis
- Places outside and inside inputs into <u>local</u>
 <u>context</u>
- Generation of germane data

3. Decision -

- Determination of actionable plan
- Storage of non-germane data for future analysis

4. Action

• Putting actionable plan into effect





OODA in Healthcare

(Enck, 2012)

- Healthcare scenarios involving
 - Continuous feedback
 - Planning
 - New alternatives in management
 - Structured and dynamic planning



OODA Application Example #1 - Novel COVID-19 and the Use of Nebulized Medications (Ari, 2020)

- Aerosol therapy mainstay treatment for respiratory diseases
- New Consideration:
 - Danger to caregivers/healthcare professional
- Potential for "fugitive emissions" during therapy
 - Generation of aerosols _____ Source of potential respiratory
 - Generation of droplets
- pathogen (COVID-19)

OODA Application Example #1 - Novel COVID-19 and the Use of Nebulized Medications (Ari, 2020)

- How to Manage Change in Standard of Care?
 - Rapid appraisal of novel situation with OODA





OODA Application Example #2 Novel COVID-19 and the Provision of Pediatric Orthopedic Care (Farrell et al., 2020) COVID exposure risk to patients, families, and healthcare workers is present in the specialty setting New Consideration: Danger of viral transmission to patients/caregivers/healthcare professionals may outweigh benefits of providing non-emergent pediatric orthopedic care Must determine protocol for appropriate cases where for orthopedic care during COVID pandemic Traumatic injuries Non-Operative methods Different risk vs. benefit ratio of potential exposure to respiratory pathogens (COVID-19)

OODA Application Example #2 - Novel COVID-19 and Routine Pediatric Orthopedic Care (Farrell et al., 2020)

- How to Manage Change in Standard of Care?
 - Rapid appraisal of novel situation with OODA





OODA Application Example #3 – Seasonal Influenza Virus (Fitzgerald et al.,

2017, Hibberd, 2018)

- Significant Public Health Risk US and abroad
 - · Yearly seasonal appearance
 - Resistance to treatment
 - · High rates of antigenic mutation
 - Timing/selection of influenza vaccination

OODA Application Example #3 – Seasonal Influenza Virus (Budd et al., 2016, CDC, 2019)

- Despite yearly CDC and WHO surveillance:
 - Significant morbidity/mortality (2018-2019 Outbreak)
 - 37.4 million illnesses
 - 531,000 hospitalizations
 - 36,400 deaths
 - Similar disease burden in 2016-2017 and 2017-2018 seasons
 - Suboptimal vaccine selection





How Utilizing OODA Work for You?

• Clinic / ED / Hospital-based issues:

- Wait Times / Throughput
- Staffing "surge" protocol
- Determining Access to Limited Resources
- Compensation / Billing
- PA Utilization
- ???

Take Home Points

- PAs are increasingly placed in medical leadership roles.
- OODA provides a deliberate conceptual framework to outline medical leadership decision making.
- OODA is a customizable decision making tool to address and justify PA feedbacl regarding shifts in staffing, patient volume, standards of care, etc.
- OODA helps you collect, store, and reuse non-germane data in medical environments requiring dynamic leadership initiatives.
- OODA framework may also be useful for other applications: documentation during annual reviews, wage increases, or changes in scheduling.



The four steps of the OODA decision making acronym are:

A. Objectification, Omission, Deceleration, Admission

- B. Observation, Orientation, Decision, Action
- C. Open, Orient, Discuss, Accept
- D. Obtain, Optimize, Declare, Attempt
- E. None of the above

Which of the following statements accurately describes the use of OODA loops?

A. The Observation step of an OODA loop is largely comprised of placing existing data into a local context.

B. During the Optimize step of an OODA loop the most efficient problem-specific solution is determined.

C. The Action step of an OODA loop is largely comprised of the collection of data.

D. The Decision step of an OODA loop also involves the storage of non-germane, poorly actionable data for future analysis.

E. None of the above.

References

- 1. Wickramasinghe, N, Bali, RK, Gibbons, MC, Choi, J J, & Schaffer, JL. A systematic approach: Optimization of healthcare operations with knowledge management. *J Healthc Manag*. 2009;23(3). 44-50.
- 2. Enck, RE. The OODA loop. Home Health Care Manag Pract. 2012;24(3), 123-124.
- 3. Liebler JG, McConnell CR. *Management Principles for Health Professionals*. Burlington, MA: Jones & Bartlett Learning, 2017.
- 4. Black, PM. Chief complaints in a free walk-in clinic: A study of 3,009 consecutive patient visits. *Public Health Rep.* 1977; 92(2), 150-153.
- 5. Moltobano, A, Rodean, J, Kangas, J, Lee, B, & Hall, M. Urgent care and emergency department visits in the pediatric Medicaid population. *Pediatrics*. 2016;137(4), 1-5.
- 6. Kelly, JC. Experts warn of severe influenza, low vaccine efficacy. *Medscape*. https://www.medscape.com/viewarticle/889563. December 4, 2017. Accessed July 2, 2018.
- 7. von Lubitz, DK, Beakley, JE, & Patricelli, F. 'All hazards approach' to disaster managementthe role of information and knowledge management, Boyd's OODA Loop, and networkcentricity. *Disasters*. 2008;32(4), 561-585.

References

- 6. Kelly, JC. Experts warn of severe influenza, low vaccine efficacy. Medscape. https://www.medscape.com/viewarticle/889563. December 4, 2017. Accessed July 2, 2018.
- 7. von Lubitz, DK, Beakley, JE, & Patricelli, F. 'All hazards approach' to disaster management- the role of information and knowledge management, Boyd's OODA Loop, and network-centricity. *Disasters*. 2008;32(4), 561-585.
- 8. Weekly U.S. influenza surveillance report. Centers for Disease Control and Prevention. https://www.cdc.gov/flu/weekly/index.htm. Updated June 22, 2018. Accessed April 13 2018.
- 9. Blanton, L, Wentworth, DE, Alabi, N, et al. Update: Influenza activity United States and worldwide, May 21-September 23, 2017. MMWR Morb Mortal Wkly Rep. 2017;66(39), 1043-1051.
- 10. Huckabee MJ. Clinical Leadership for Physician Assistants and Nurse Practitioners. [Electronic Resource]. Springer Publishing Company; 2018.
- 11. Ari A. Practical strategies for a safe and effective delivery of aerosolized medications to patients with COVID-19. Respiratory medicine. 2020; 187:105987. doi:10.1016/j.rmed.2020.105987.
- 12. Farrell S, Schaeffer EK, Mulpuri K. Recommendations for the Care of Pediatric Orthopaedic Patients During the COVID-19 Pandemic. JAm Acad Orthop Surg. 2020 Jun 1;28(11):e477-e486. doi: 10.5435/JAAOS-D-20-00391.
- 13. Hibberd, PL. Seasonal influenza vaccination in adults. In: Post T, ed. UpToDate. Waltham, Mass.: UpToDate; 2018. www.uptodate.com. Accessed July 2, 2018.
- 14. Fitzgerald, TJ, Moulia, DL, Graitcer, SB, Vagi, SJ, & Dopson, SA, 2017. 2015 Pandemic influenza readiness assessment among US public health emergency preparedness awardees. Am J Public Health. 2017; 107. 177-179.
- 15. Budd, A, Blanton, L, Kniss, K, et al. Update: Influenza activity United States and worldwide, May 22-September 10, 2016. Morb Mortal Wkly Rep Surveill Summ. 2016;65(37), 1008-1014.
- 16. 2018-2019 U.S. Flu season: Preliminary burden estimates. Centers for Disease Control and Prevention. https://www.cdc.gov/flu/about/burden/preliminary-in-season-estimates.htm. Updated May 9, 2019. Accessed June 28, 2019

2/8/2021

Questions / Comments / Tips E-mail: tmmeersman@noctrl.edu