

# How do I effectively help persons with Psoriatic Arthritis?

---

Benjamin J Smith, DMSc, PA-C, DFAAPA

Florida State University

College of Medicine

School of Physician Assistant Practice





# Disclosures

Nothing to disclose



# Objectives

**After completing this session, attendees will be able to:**

- **utilize the latest diagnostic approaches when evaluating persons with psoriatic arthritis.**
- **identify the currently approved medications for psoriatic arthritis.**
- **describe the risks, benefits and expectations of biologics in treating psoriatic arthritis.**



# References

- **Giannelli A. A Review for Physician Assistants and Nurse Practitioners on the Considerations for Diagnosing and Treating Psoriatic Arthritis. Rheumatol Ther. 2019; 6(1): 5-21.**
- **Ritchlin CT, Colbert RA, Gladman DD. Psoriatic Arthritis. N Engl J Med 2017;376:957-70.**
- **Singh JA, et al. Special Article: 2018 American College of Rheumatology/National Psoriasis Foundation Guideline for the Treatment of Psoriatic Arthritis. Arthritis Rheumatol. 2019; 71: 5-32.**
- **Ogdie A, et al. Treatment guidelines in psoriatic arthritis. Rheumatology. 2020;59:i37-i46.**
- **Smith BJ, Nuccio BC, Graves KY, and McMillan VM. Screening and Work-up Requirements Prior to Beginning Biologic Medications for Dermatologic and Rheumatic Diseases. J Am Acad Physician Assist. 2018; 31(6): 23-28.**



# Question 1

Which of the following is part of the Classification of Psoriatic Arthritis (CASPAR) criteria?

- a. Family history of psoriasis
- b. Anti-cyclic citrillunated peptide
- c. Extractable nuclear antibodies
- d. Synovial fluid with  $>100$  WBC/high power field



# Question 2

Which of the following diagnoses has a potential symptom of inflammatory back pain?

- a. Rheumatoid arthritis and gout
- b. Systemic Lupus Erythematosus and axial spondylarthritis
- c. Psoriatic arthritis and reactive arthritis
- d. Axial spondylarthritis and gout



# Question 3

Which of the following classes of medications is not currently approved for the treatment of psoriatic arthritis?

- a. Phosphodiesterase 4 (PDE<sub>4</sub>) inhibitor
- b. Janus Kinase inhibitor
- c. Interleukin-6 (IL-6) inhibitor
- d. Interleukin -17A (IL-17A) blocker

# 34 year old female with “some of my fingers and toes are hurting and are swollen.”

- Location: RUE 2<sup>nd</sup> PIP, 5<sup>th</sup> PIP, LLE 3 and 4<sup>th</sup> digits
- Quality: Dull pain, Aching
- Quantity: 4 joints listed above
- Timing: symptoms began 3 months ago, feels worse in morning, but some joint discomfort through the day
- Context: usual state of health prior to symptoms, patient unaware of causative reason for symptoms
- Aggravating symptoms: after sitting and watching TV
- Alleviating symptoms: walking, using hands
- Associated symptoms: fatigue, rash developed one year ago, morning stiffness X 2+ hours, not engaging in usual exercise routine



# 34 year old female with “some of my fingers and toes are hurting and are swollen.”

- PMH: unremarkable
- Medications: none
- Allergies: none
- Social history: married bank teller, no EtOH or tobacco
- Family history:
  - Father with psoriasis
  - Paternal grandfather: crystal proven gout
  - Paternal uncle: RA
  - Maternal grandmother: OA
- ROS: fatigue, difficult sleep with symptoms, scalp rash

# Physical Examination

- Examination is unremarkable except for the things that you observe below

# Physical Examination


**WHAT DIAGNOSIS AM I TO  
CONSIDER FOR THIS PERSON  
WITH JOINT PAIN?**

---

# Interactive question

What conditions are included in your differential diagnosis?

- Osteoarthritis
- Rheumatoid Arthritis
- Gout
- Ankylosing Spondylitis
- Psoriatic Arthritis
- Other arthritis
- Non-rheumatic condition



Mono-, oligo-, polyarticular  
Acute vs. chronic  
Location  
Systemic features  
Inflammatory  
vs. non-inflammatory

# Interactive question

What conditions are included in your differential diagnosis?

- Osteoarthritis
- Rheumatoid Arthritis
- Gout
- Ankylosing Spondylitis
- Psoriatic Arthritis
- Other type of arthritis
- Non-rheumatic condition

# PsA: Epidemiology

- **Psoriasis** affects approximately 3% Caucasian population, rare in African Americans
- **25-31%** of pts with psoriasis may have PsA
- **Male = Female**
- **Peak Onset 30 – 50 yrs**
- Skin psoriasis precedes arthritis 85% (5-10 % develop arthritis prior to or simultaneously)

Cush, J., Kavanagh, A., & Stein, M. (2005). Rheumatoid Diseases. In Danette Somers, (Ed.), Rheumatology Diagnosis & Therapeutics, 2nd edition (pp 323-333). Philadelphia, PA: Lippincott, Williams & Wilkins.

# Classification of Psoriatic-Arthritis: CASPAR Criteria

**To meet the CASPAR criteria for PsA, a patient must have inflammatory articular disease (joint, spine, or enthesal) and score  $\geq 3$  points based on these categories.**

	POINTS
1. Evidence of psoriasis Current psoriasis Personal history of psoriasis Family history of psoriasis	2 or 1 or 1
2. Psoriatic nail dystrophy Pitting, onycholysis, hyperkeratosis	1
3. Negative test result for rheumatoid factor	1
4. Dactylitis Current swelling of an entire digit History of dactylitis	1 or 1
5. Radiologic evidence of juxta-articular new bone formation Ill-defined ossification near joint margins on plain x-rays of hand/foot	1




# Diagnosing Psoriatic Arthritis

## Classification Criteria for Psoriatic Arthritis (CASPAR)

- Evidence of Psoriasis (Current, Personal History, Family History)
- Psoriatic nail dystrophy
- Negative test for rheumatoid arthritis
- Dactylitis
- Radiographic evidence of juxtaarticular new bone formation


# The Spondyloarthritis (SpA) Group



**SpA are a group of rheumatic disorders that share several common factors:**

- 1. Synovitis and enthesitis**
- 2. Similar association with HLA-B27**
- 3. Usually RF -ve**

# Moll & Wright Classification of Psoriatic Arthritis



Moll JM, Wright V. Psoriatic arthritis.  
Semin Arthritis Rheum. 1973;3:55-78.

# Distinguishing inflammatory back pain diagnoses

	RA	AS	Enteropathic	PsA	ReA
Male:Female ratio	1:3	3:1	1:1	1:1	10:1
HLA association	DR <sub>4</sub>	B27	B27 (axial)	B27 (axial)	B27
Joint pattern	Symmetrical, peripheral	Axial	Axial, peripheral	Axial, asymmetrical, peripheral	Axial, asymmetrical, peripheral
Sacroiliac	None	Symmetrical	Symmetrical	Asymmetrical	Asymmetrical
Syndesmophyte	None	Smooth, marginal	Smooth, marginal	Coarse, nonmarginal	Coarse, nonmarginal
Eye	Scleritis	Iritis	+/-	None	Iritis, conjunctivitis
Skin	Vasculitis	None	None	Psoriasis	Keratoderma
RF	>80%	None	None	None	None

Adapted from Inman RD. The Spondyloarthropathies. In: Goldman L, Schafer AI, eds. *Goldman-Cecil Medicine*. 26<sup>th</sup> ed. Philadelphia, Penn. Elsevier; 2020: 1718-1725.

# Psoriatic Arthritis (PsA)

A chronic inflammatory arthritis - usually occurs with established cutaneous psoriasis, with or without nail changes.

- **Axial** or **peripheral** joint involvement
- May present as **oligoarthritis, asymmetric**
- **Insidious** onset
- “**Sausage digits**” – dactylitis
- **Enthesopathy** – tendon insertion sites

# Definitions

- Dactylitis-diffuse swelling of an entire finger or toe.
- Enthesitis-inflammation at the site of the insertion of tendons, ligaments, and joint capsule. (Lower > Upper extremity)
  - Plantar fascia
  - Achilles tendon
  - Spine
  - Pelvis
  - Ribs

**CATCH ALL OF THE CLUES!!!**

# ARTHRITIS MUTILANS



# Clinical Features PsA

- **DIP involvement**
- **Asymmetric distribution**
- **Nail lesions (pitting or onycholysis)**
- **Hidden PsO plaques (scalp, gluteal fold, umbilicus)**
- **Dactylitis (40-50%)**
- **Enthesitis (30-50%)**
- **Eye involvement** (iritis, conjunctivitis, scleritis)
- **Spine involvement** (sacroiliitis which may be asymmetric)

# Psoriatic Arthritis (PsA)

# Nail Pitting

# Psoriatic Arthritis (PsA)

# Psoriatic Arthritis (PsA)

## PsA: Characteristics

**Persons with PsO more likely to develop PsA if...**

- increased PsO severity (??)**
- presence of nail lesions**
- scalp and intergluteal lesions**

## PsA Presentation

Enthesitis

Arthritis Mutilans

DIP involvement

Dactylitis

Oligoarticular  
(usually LE)

Symmetric,  
Polyarticular

Sacroillitis

# PsA: Diagnostic Pearls

- “**All over**” pain can sometimes be due to enthesopathy (Tenderness @ trochanteric bursae, epicondyles, plantar fascia)
- **Physical Exam:** Nail pitting, scalp plaques with scale and erythema, “sausage digit” (dactylitis)
- **History:** chronic foot pain (plantar fasciitis)
- **Fam History:** Psoriasis
- **X-ray:** Heel spur, PIP soft tissue swelling



**WHAT TREATMENTS  
MIGHT I CONSIDER FOR  
THIS PERSON?**

---

RHEUMATOLOGY

Rheumatology 2020;59:i37-i46  
doi:10.1093/rheumatology/kez383

# Treatment guidelines in psoriatic arthritis

Alexis Ogdie <sup>1</sup>, Laura C. Coates <sup>2</sup> and Dafna D. Gladman<sup>3</sup>

# Non-pharmacologic treatment of PsA

- Exercise
  - Low-impact (tai chi, yoga, swimming) vs. high-impact (running)
- Physical Therapy
- Occupational Therapy
- Weight loss
- Massage therapy
- Acupuncture
- *Smoking Cessation*

# Systemic Treatments for PsA


Oral DMARDs	Biologic DMARDs TNF Blockers	Biologic DMARDs Novel MOA
<b>Immunosuppressant</b> Leflunomide (Arava) MTX (methotrexate) SSZ (sulfasalazine)	<b>TNF blockers</b> Adalimumab (Humira) Certolizumab (Cimzia) Etanercept (Enbrel) Golimumab (Simponi) Infliximab (Remicade)	<b>IL-17A blocker</b> Secukinumab (Cosentyx) Ixekizumab (Taltz)
<b>Phosphodiesterase 4 (PDE<sub>4</sub>) inhibitor</b> Apremilast (Otezla)	<b>Janus Kinase inhibitor</b> Tofacitinib (Xeljanz)	<b>IL 12 &amp; 23</b> Ustekinumab (Stelara)

**WHAT ABOUT THOSE  
NEW TREATMENTS  
THAT I SEE ON TV?**

---

# Our patient

- Non-pharmacologic
- Pharmacologic
  - NSAIDs
  - Apremilast



With periodic monitoring including history and physical examination, laboratory screening and appropriate radiographic studies

## Biologics: Potential Risks

- Injection site/infusion reaction
- Infection risk (bacterial, TB/other granulomatous, opportunistic)
- Malignancy risk ?
- Demyelinating Disease, MS or Family Hx
- Heart failure
- Drug induced syndromes (ANA, dsDNA)
- Cytopenias

## My Pre- Biologic Questions

- Current/recurrent infxns
- Cancer (CA)
- Congestive Heart Failure (CHF)
- Chronic Obstructive Pulmonary Disease (COPD)/asthma
- Tuberculosis (TB)
  - PPD hx
  - Exposure
- Multiple Sclerosis (MS)
- Hepatitis B/C
- Hyperlipidemia



## Pre-Biologic Screening

### Pre-drug screening

- CXR
- PPD/Interferon-gamma release assays (IGRAs)
- Pneumonia vaccine
- Influenza vaccine
- Hepatitis B and C serologies



What about the COVID  
vaccination?


# COVID-19 vaccination in Rheumatic and Musculoskeletal Disease Patients

## General considerations

- Engage in shared decision making regarding vaccination
- Recognize heterogeneity of COVID-19 and higher risk for hospitalized COVID-19 and worse outcomes compared to the general population
- Should be prioritized for vaccination before the nonprioritized general population of similar age and sex
- No additional contraindications to vaccinations
- Vaccination response blunted in its magnitude and duration for those on immunomodulatory therapies compared to general population
- Theoretic risk of disease flare or worsening, but outweighed by risk

<https://www.rheumatology.org/Portals/0/Files/COVID-19-Vaccine-Clinical-Guidance-Rheumatic-Diseases-Summary.pdf>

# GRAPPA PsA Treatment Guidelines



Reassess Response to Therapy and Toxicity

# Question 1

Which of the following is part of the Classification of Psoriatic Arthritis (CASPAR) criteria?

- a. Family history of psoriasis
- b. Anti-cyclic citrillunated peptide
- c. Extractable nuclear antibodies
- d. Synovial fluid with >100 WBC/high power field

# Question 1

Which of the following is part of the Classification of Psoriatic Arthritis (CASPAR) criteria?

- a. **Family history of psoriasis**
- b. Anti-cyclic citrillunated peptide
- c. Extractable nuclear antibodies
- d. Synovial fluid with >100 WBC/high power field

# Question 2

Which of the following diagnoses has a potential symptom of inflammatory back pain?

- a. Rheumatoid arthritis and gout
- b. Systemic Lupus Erythematosus and axial spondylarthritis
- c. Psoriatic arthritis and axial reactive arthritis
- d. Axial spondylarthritis and gout

# Question 2

Which of the following diagnoses has a potential symptom of inflammatory back pain?

- a. Rheumatoid arthritis and gout
- b. Systemic Lupus Erythematosus and axial spondylarthritis
- c. **Psoriatic arthritis and axial reactive arthritis**
- d. Axial spondylarthritis and gout

# Question 3

Which of the following classes of medications is not currently approved for the treatment of psoriatic arthritis?

- a. Phosphodiesterase 4 (PDE<sub>4</sub>) inhibitor
- b. Janus Kinase inhibitor
- c. Interleukin-6 (IL-6) inhibitor
- d. Interleukin -17A (IL-17A) blocker



# Question 3

Which of the following classes of medications is not currently approved for the treatment of psoriatic arthritis?

- a. Phosphodiesterase 4 (PDE<sub>4</sub>) inhibitor
- b. Janus Kinase inhibitor
- c. **Interleukin-6 (IL-6) inhibitor**
- d. Interleukin -17A (IL-17A) blocker

# Take Home Points

- Psoriatic arthritis is a chronic inflammatory arthritis that has the potential to cause damaging joint changes.
- Clinical features of psoriatic arthritis include synovitis, dactylitis, enthesitis and cutaneous manifestations.
- Psoriatic arthritis can present in various patterns.
- There are several classes of medications that can appropriately treat persons with psoriatic arthritis. The decision of which treatment to utilize is based on a person's manifestations and other comorbidities.