

ICD-10 Codes for Obesity Management Tip Sheet

When coding for obesity, code for both the obesity diagnosis as well as BMI.

Obesity codes:

- <u>E66.1</u> Drug-induced obesity
- <u>E66.2</u> Severe obesity with alveolar hypoventilation
- E66.3 Overweight
- E66.8 Other obesity
- E66.9 Obesity, unspecified

NOTE: Recommended codes commonly used.

Obesity codes that should be avoided:

- E66.0 Obesity due to excess calories
- <u>E66.01</u> Severe obesity due to excess calories
- <u>E66.09</u> Other obesity due to excess calories

NOTE: these 3 codes are stigmatizing and should be avoided.

BMI Codes Z68.XX:

- Z68.25-29.9 Body mass index (BMI) 25-29.9, adult
- Z68.30-Z68.39 Body mass index (BMI) 30.0-39.9, adult
- Z68.4 Body mass index (BMI) 40 or greater, adult
- Z68.41 Body mass index (BMI) 40.0-44.9, adult
- Z68.42 Body mass index (BMI) 45.0-49.9, adult
- Z68.43 Body mass index (BMI) 50-59.9, adult
- Z68.44 Body mass index (BMI) 60.0-69.9, adult
- Z68.45 Body mass index (BMI) 70 or greater, adult

Counseling codes you may use also include:

- Z71.3 Dietary counseling and surveillance
- Z71.89 Other specified counseling (including exercise counseling)

NOTE: Actual coverage and reimbursement decisions are made by individual payers following the receipt of claims.